

Optimal Periodic Sensor Scheduling in Networks of Dynamical Systems

Sijia Liu, *Student Member, IEEE*, Makan Fardad, *Member, IEEE*, Engin Masazade, *Member, IEEE*, and Pramod K. Varshney, *Fellow, IEEE*

Abstract—We consider the problem of finding optimal time-periodic sensor schedules for estimating the state of discrete-time dynamical systems. We assume that multiple sensors have been deployed and that the sensors are subject to resource constraints, which limits the number of times each can be activated over one period of the periodic schedule. We seek an algorithm that strikes a balance between estimation accuracy and total sensor activations over one period. We make a correspondence between active sensors and the nonzero columns of the estimator gain. We formulate an optimization problem in which we minimize the trace of the error covariance with respect to the estimator gain while simultaneously penalizing the number of nonzero columns of the estimator gain. This optimization problem is combinatorial in nature, and we employ the alternating direction method of multipliers (ADMM) to find its locally optimal solutions. Numerical results and comparisons with other sensor scheduling algorithms in the literature are provided to illustrate the effectiveness of our proposed method.

Index Terms—Alternating direction method of multipliers, dynamical systems, optimization, sensor networks, sensor scheduling, sparsity, state estimation.

I. INTRODUCTION

WIRELESS sensor networks, consisting of a large number of spatially distributed sensors, have been used in a wide range of application areas such as environment monitoring, source localization and object tracking [1]–[3]. In a given region of interest, sensors observe the unknown state (e.g., field intensity or target location) which commonly evolves as part of a linear dynamical system. A fusion center receives all the measurements and estimates the state over the entire spatial domain. However, due to the constraints on communication bandwidth and sensor battery life, it may not

be desirable to have all the sensors report their measurements at all time instants. Therefore, the problem of sensor selection/scheduling arises, which seeks to activate different subsets of sensors at different time instants in order to attain an optimal tradeoff between estimation accuracy and energy use.

Over the last decade, sensor selection/scheduling problems for state estimation of linear systems have been extensively studied in the literature [4]–[16], where several variations of the problem have been addressed according to the types of cost functions, time horizons, heuristic algorithms, and energy and topology constraints. Many research efforts have focused on myopic sensor scheduling [4]–[7], where at every instant the search is for the best sensors to be activated at the next time step (as opposed to a longer time horizon). However, myopic selection strategies get trapped in local optima and perform poorly in some cases, such as sensor networks with sensing holes [11]. But if the length of time horizon becomes large or infinite then finding an optimal non-myopic schedule is difficult, because the number of sensor sequences grows prohibitively large as the time horizon grows. Therefore, some researchers have considered the problem of periodic sensor schedules on an infinite time horizon [14]–[18].

In [12], [13], periodicity in the optimal sensor schedule was observed even for finite time horizon problems in which a periodic schedule was not assumed *a priori*. A sufficient condition for the existence of periodicity for the sensor scheduling problem over an infinite time horizon was first suggested in [18]. Furthermore, in [14] it was proved that the optimal sensor schedule for an infinite horizon problem can be approximated arbitrarily well by a periodic schedule with a finite period. We emphasize that the results in [14] are nonconstructive, in the sense that it is shown that the optimal sensor schedule is time-periodic but an algorithm for obtaining this schedule, or even the length of its period, is not provided. Although periodicity makes infinite horizon sensor scheduling problems tractable via the design of an optimal schedule over a finite period, it poses other challenges in problem formulation and optimization compared to conventional sensor scheduling.

In this paper, we seek a general framework to design optimal periodic sensor schedules subject to measurement frequency constraints. Measurement frequency constraints imply that each sensor has a bound on the number of times it can be active over a time period of length K . Similar constraints have been considered in [8], [12], [19] and referred to as energy constraints, and transmission or communication bounds. To achieve our goal, we seek an optimal dynamic estimator, in the form of a time-periodic Kalman filter, that also respects the measurement fre-

Manuscript received May 24, 2013; revised November 01, 2013 and February 18, 2014; accepted April 10, 2014. Date of publication April 24, 2014; date of current version May 16, 2014. The associate editor coordinating the review of this manuscript and approving it for publication was Prof. Tongtong Li. The work of S. Liu and P. K. Varshney was supported by the U.S. Air Force Office of Scientific Research (AFOSR) under Grants FA9550-10-1-0263 and FA9550-10-1-0458. The work of M. Fardad was supported by the National Science Foundation under awards CNS-1329885 and CMMI-0927509. The work of E. Masazade was supported by the Scientific and Technological Research Council of Turkey (TUBITAK) under Grant 113E220.

S. Liu, M. Fardad, and P. K. Varshney are with the Department of Electrical Engineering and Computer Science, Syracuse University, Syracuse, NY, 13244 USA (e-mail: sliu17@syr.edu; makanvarshney@syr.edu).

E. Masazade is with the Department of Electrical and Electronics Engineering, Yeditepe University, Istanbul, 34755, Turkey (e-mail: engin.masazade@yeditepe.edu.tr).

Color versions of one or more of the figures in this paper are available online at <http://ieeexplore.ieee.org>.

Digital Object Identifier 10.1109/TSP.2014.2320455

quency constraints. This can be interpreted as a design problem in which *both* the sensor activation schedules, *and* the estimator gains used to combine the sensor measurements, are *jointly optimized*. To allow for additional design flexibility, we introduce into the optimization formulation sparsity-promoting penalty functions that encourage fewer measurements at every time instant of the periodic horizon. This can be used to generate arbitrarily sparse sensor schedules that employ a minimal number of active sensors.

The design of optimal periodic sensor schedules has been recently studied in [15]–[17]. In [15], the authors construct the optimal periodic schedule only for two sensors. For a multiple sensor scenario, the work of [16] studied the problem of periodic sensor scheduling by assuming the process noise to be very small, which results in a linear matrix inequality (LMI) problem. As a consequence of the assumption that the process noise is negligible, the ordering of the measurements does not factor into the solution of this LMI problem. Clearly, a sensor schedule in which the order of sensor activations is irrelevant can not be optimal for some sensor scheduling problems. For example, it was shown in [20] that temporally staggered sensor schedules constitute the optimal sensing policy. In [17], a lower bound on the performance of scheduling sensors over an infinite time horizon is obtained, and then an open-loop periodic switching policy is constructed by using a doubly substochastic matrix. The authors show that the presented switching policy achieves the best estimation performance as the period length goes to zero (and thus sensors are switched as fast as possible). In this paper, a comparison of both the performance and the computational complexity of our methodology with the existing work in [15]–[17] will be provided.

The sensor scheduling framework presented in this paper relies on making a one-to-one correspondence between every sensor and a column of the estimator gain. Namely, a sensor being off at a certain time instant is equivalent to the corresponding column of the estimator gain being identically zero. This idea has been exploited in our earlier work [21] on sparsity-promoting extended Kalman filtering, where sensors are scheduled only for the next time step and have no resources constraints involved. Different from [21], we consider a periodic sensor scheduling problem on an infinite time horizon, where measurement frequency constraints and periodicity place further restrictions on the number of nonzero columns of the time-periodic Kalman filter gain matrices.

Counting and penalizing the number of nonzero columns of the estimator gain, which in this work is performed via the use of the cardinality function, results in combinatorial optimization problems that are intractable in general. It has been recently observed in [21]–[23] that the alternating direction method of multipliers (ADMM) is a powerful tool for solving optimization problems that include cardinality functions. Particularly, [22] considers the problem of finding optimal sparse state feedback gains and demonstrates the effectiveness of ADMM in finding such gains. However, different from [22], we extend the application of ADMM to account for the time periodicity. Furthermore, we incorporate measurement frequency constraints where subtle relationships between the sparsity-promoting parameter and the frequency parameter come into play.

The main contributions of this paper can be summarized as follows.

- We develop a general optimization framework for the joint design of optimal periodic sensor schedules (on an infinite time horizon) and optimal estimator (Kalman filter) gain matrices.
- We demonstrate that the optimal periodic Kalman filter gain matrices should satisfy a coupled sequence of periodic Lyapunov recursions. We introduce a new block-cyclic representation to transform the coupled matrix recursions into algebraic matrix equations. In particular, this allows the application of the efficient Anderson-Moore method in solving the optimization problem.
- Through application of the alternating direction method of multipliers, we uncover subtle relationships between the frequency constraint parameter, the sparsity-promoting parameter, and the sensor schedule.
- We present a comparison of both the performance and the computational complexity of our methodology with other prominent work in the literature. We demonstrate that our method performs as well or significantly better than these works, and is computationally efficient for sensor scheduling in problems with large-scale dynamical systems.

The rest of the paper is organized as follows. In Section II, we motivate the problem of periodic sensor scheduling on an infinite time horizon. In Section III, we formulate the sparsity-promoting periodic sensor scheduling problem. In Section IV, we invoke the ADMM method, which leads to a pair of efficiently solvable subproblems. In Section V, we illustrate the effectiveness of our proposed approach through examples. Finally, in Section VI we summarize our work and discuss future research directions.

II. PERIODICITY OF INFINITE HORIZON SENSOR SCHEDULING

Consider a discrete-time linear dynamical system evolving according to the equations

$$\mathbf{x}_{k+1} = \mathbf{A}\mathbf{x}_k + \mathbf{B}\mathbf{w}_k, \quad (1)$$

$$\mathbf{y}_k = \mathbf{C}\mathbf{x}_k + \mathbf{v}_k, \quad (2)$$

where $\mathbf{x}_k \in \mathbb{R}^N$ is the state vector at time k , $\mathbf{y}_k \in \mathbb{R}^M$ is the measurement vector whose m th entry corresponds to a scalar observation from sensor m , \mathbf{A} , \mathbf{B} , and \mathbf{C} are matrices of appropriate dimensions. The inputs \mathbf{w}_k and \mathbf{v}_k are white, Gaussian, zero-mean random vectors with covariance matrices \mathbf{Q} and \mathbf{R} , respectively. Finally, we assume that (\mathbf{A}, \mathbf{C}) is detectable and (\mathbf{A}, Σ) is stabilizable, where $\Sigma\Sigma^T = \mathbf{B}\mathbf{Q}\mathbf{B}^T$.

For ease of describing the sensor schedule, we introduce the auxiliary binary variables $\zeta_{k,m} \in \{0, 1\}$, to represent whether or not the m th sensor is activated at time k . The sensor schedule over an infinite time horizon can then be denoted by $\boldsymbol{\mu}_\infty = [\zeta_1, \zeta_2, \dots]$, where the vector $\zeta_k = [\zeta_{k,1}, \dots, \zeta_{k,M}]^T$ indicates which sensors are active at time k . The performance of an infinite-horizon sensor schedule is then measured as follows [15], [16],

$$J(\boldsymbol{\mu}_\infty) \triangleq \lim_{\bar{K} \rightarrow \infty} \frac{1}{\bar{K}} \sum_{k=1}^{\bar{K}} \text{tr}(\mathbf{P}_k) \quad (3)$$

where \mathbf{P}_k is the estimation error covariance at time k under the sensor schedule $\boldsymbol{\mu}_\infty$. Due to the combinatorial nature of the problem, it is intractable to find the optimal sensor schedule that minimizes the cost (3) in general [16].

In [18], it was suggested that the optimal sensor schedule can be treated as a time-periodic schedule over the infinite time horizon if the system (1)–(2) is detectable and stabilizable. Furthermore, in [14] it was proved that the optimal sensor schedule for an infinite horizon problem can be approximated arbitrarily well by a periodic schedule with a finite period, and that the error covariance matrix converges to a unique limit cycle. In this case, the cost in (3) can be rewritten as

$$J(\boldsymbol{\mu}_K) = \frac{1}{K} \sum_{k=0}^{K-1} \text{tr}(\mathbf{P}_k) \quad (4)$$

where K is the length of the period and \mathbf{P}_k is the error covariance matrix at instant k of its limit cycle. In this work, similar to [14]–[16], we assume the length K of the period is given. To the best knowledge of the authors, it is still an open problem to find the optimal period length.

III. PROBLEM FORMULATION

For the discrete-time linear dynamical system (1)–(2), we consider state estimators of the form

$$\hat{\mathbf{x}}_{k+1} = \mathbf{A}\hat{\mathbf{x}}_k + \mathbf{L}_k(\mathbf{y}_k - \mathbf{C}\hat{\mathbf{x}}_k) = (\mathbf{A} - \mathbf{L}_k\mathbf{C})\hat{\mathbf{x}}_k + \mathbf{L}_k\mathbf{y}_k,$$

where \mathbf{L}_k is the estimator gain (also known as the observer gain [24]) at time k . In what follows we aim to determine the matrices \mathbf{L}_k , $k = 0, 1, \dots$, by solving an optimization problem that, in particular, promotes the column sparsity of \mathbf{L}_k . We define the estimation error covariance \mathbf{P}_k as

$$\mathbf{P}_k = \mathcal{E}\{(\mathbf{x}_k - \hat{\mathbf{x}}_k)(\mathbf{x}_k - \hat{\mathbf{x}}_k)^T\},$$

where \mathcal{E} is the expectation operator.¹ It is easy to show that \mathbf{P}_k satisfies the Lyapunov recursion

$$\mathbf{P}_{k+1} = (\mathbf{A} - \mathbf{L}_k\mathbf{C})\mathbf{P}_k(\mathbf{A} - \mathbf{L}_k\mathbf{C})^T + \mathbf{B}\mathbf{Q}\mathbf{B}^T + \mathbf{L}_k\mathbf{R}\mathbf{L}_k^T. \quad (5)$$

Finally, partitioning the matrices \mathbf{L}_k and \mathbf{C} into their respective columns and rows, we have

$$\begin{aligned} \mathbf{L}_k\mathbf{C} &= [\mathbf{L}_{k,1} \quad \mathbf{L}_{k,2} \quad \dots \quad \mathbf{L}_{k,M}] \begin{bmatrix} \mathbf{C}_1^T \\ \mathbf{C}_2^T \\ \vdots \\ \mathbf{C}_M^T \end{bmatrix} \\ &= \mathbf{L}_{k,1}\mathbf{C}_1^T + \mathbf{L}_{k,2}\mathbf{C}_2^T + \dots + \mathbf{L}_{k,M}\mathbf{C}_M^T, \end{aligned} \quad (6)$$

where we assume that each row of \mathbf{C} characterizes the measurement of one sensor. Therefore, each column of the matrix \mathbf{L}_k can be thought of as corresponding to the measurement of a particular sensor.

In estimation and inference problems using wireless sensor networks, minimizing the energy consumption of sensors is

¹In the system theory literature, $\hat{\mathbf{x}}_k$ and \mathbf{P}_k are often denoted by $\hat{\mathbf{x}}_{k|k-1}$ and $\mathbf{P}_{k|k-1}$; here we use $\hat{\mathbf{x}}_k$ and \mathbf{P}_k for simplicity of notation.

often desired [8], [19]. Therefore, we seek algorithms that schedule the turning on and off of the sensors in order to strike a balance between energy consumption and estimation performance. Suppose, for example, that at time step k only the ν th sensor reports a measurement. In this case, it follows from (6) that $\mathbf{L}_k\mathbf{C} = \mathbf{L}_{k,\nu}\mathbf{C}_\nu^T$, where \mathbf{C}_ν^T is the ν th row of \mathbf{C} . This can also be interpreted as having the column vectors $\mathbf{L}_{k,m}$ equal to zero for all $m \neq \nu$. Thus, hereafter we assume that the measurement matrix \mathbf{C} is constant and the scheduling of the sensors is captured by the nonzero columns of the estimator gains \mathbf{L}_k , in the sense that if $\mathbf{L}_{k,m} = \mathbf{0}$ then at time k the m th sensor is not making a measurement.

As stated in Section II, in this work we search for optimal *time-periodic* sensor schedules, i.e., we seek optimal sequences $\{\mathbf{L}_k\}_{k=0,1,\dots,K-1}$ and $\{\mathbf{P}_k\}_{k=0,1,\dots,K-1}$ that satisfy

$$\mathbf{L}_{k+K} = \mathbf{L}_k, \quad \mathbf{P}_{k+K} = \mathbf{P}_k, \quad (7)$$

where K is a given period. Note that the choice of K is not a part of the optimization problem considered in this paper. As suggested in [14], one possible procedure for choosing K is to find the optimal sensor schedule for gradually-increasing values of K until the performance ceases to improve significantly. Furthermore, the condition on the periodicity of \mathbf{P}_k assumes that the system and estimator with $\mathbf{L}_{k+K} = \mathbf{L}_k$ have been running for a long time so that \mathbf{P}_k has reached its steady-state limit cycle [14]. In this paper, we consider $k = -\infty$ as the initial time and without loss of generality consider the design of \mathbf{L}_k over the period $k = 0, 1, \dots, K-1$, when the system has statistically settled into its periodic cycle.

To incorporate the energy constraints on individual sensors over a period of length K , we consider

$$\sum_{k=0}^{K-1} \text{card}(\|\mathbf{L}_{k,m}\|_2) \leq \eta_m, \quad m = 1, 2, \dots, M, \quad (8)$$

where η_m denotes the measurement frequency bound. This implies that the m th sensor can make and transmit at most η_m measurements over the period of length K . Placing a bound on the measurement frequency of each sensor avoids scenarios in which a set of ‘informative sensors’ are successively selected, which would result in their early energy depletion. For simplicity, we assume $\eta_1 = \eta_2 = \dots = \eta_M = \eta$. We remark that the proposed sensor scheduling methodology in this article applies equally well to the case where the η_i are not necessarily equal to each other.

Next, we formulate the optimal periodic sensor scheduling problem considered in this work, and then elaborate on the details of our formulation. We pose the optimal sensor scheduling problem as the optimization problem

$$\begin{aligned} &\text{minimize} \quad \sum_{k=0}^{K-1} \text{tr}(\mathbf{P}_k) + \gamma \sum_{k=0}^{K-1} g(\mathbf{L}_k) \\ &\text{subject to} \quad \begin{cases} \text{Lyapunov recursion (5) for } k=0, 1, \dots, K-1, \\ \text{periodicity condition (7),} \\ \text{measurement frequency constraints (8),} \end{cases} \end{aligned} \quad (9)$$

where the matrices $\{\mathbf{L}_k\}_{k=0,\dots,K-1}$ are the optimization variables, $\text{card}(\cdot)$ denotes the cardinality function which gives the number of nonzero elements of its (vector) argument, and

$$g(\mathbf{L}_k) := \text{card}([\|\mathbf{L}_{k,1}\|_2 \quad \|\mathbf{L}_{k,2}\|_2 \quad \cdots \quad \|\mathbf{L}_{k,M}\|_2]). \quad (10)$$

Therefore $g(\mathbf{L}_k)$ is equal to the number of nonzero columns of \mathbf{L}_k , also referred to as the column-cardinality of \mathbf{L}_k . The incorporation of the sparsity-promoting term $g(\cdot)$ in the objective function encourages the use of a small subset of sensors at each time instant. The positive scalar γ characterizes the relative importance of the two conflicting terms in the objective, namely the relative importance of achieving good estimation performance versus activating a small number of sensors.

Note that (9) is a combinatorial problem [25] and, for large systems, computationally intractable in general. Motivated by [22], in the next section we employ the alternating direction method of multipliers (ADMM) to solve (9). We demonstrate that the application of ADMM leads to a pair of efficiently solvable subproblems.

IV. OPTIMAL PERIODIC SENSOR SCHEDULING USING ADMM

In this section, we apply ADMM to the sensor scheduling problem (9). Our treatment uses ideas introduced in [22], where ADMM was used for the identification of optimal sparse state-feedback gains. We extend the framework of [22] to account for the time periodicity of the estimator gains, their sparsity across both space and time, and the addition of measurement frequency constraints on individual sensors.

We begin by reformulating the optimization problem in (9) in a way that lends itself to the application of ADMM. For \mathbf{P}_k that satisfies the Lyapunov recursion in (5), it is easy to show that

$$\begin{aligned} \mathbf{P}_k &= \mathbf{BQB}^T + \mathbf{L}_{k-1}\mathbf{R}\mathbf{L}_{k-1}^T \\ &+ \sum_{n=k-1}^{-\infty} (\mathbf{A} - \mathbf{L}_{k-1}\mathbf{C}) \cdots (\mathbf{A} - \mathbf{L}_n\mathbf{C}) \\ &\quad \cdot (\mathbf{BQB}^T + \mathbf{L}_{n-1}\mathbf{R}\mathbf{L}_{n-1}^T) \\ &\quad \cdot (\mathbf{A} - \mathbf{L}_n\mathbf{C})^T \cdots (\mathbf{A} - \mathbf{L}_{k-1}\mathbf{C})^T. \end{aligned}$$

Invoking the periodicity of \mathbf{L}_k , $\text{tr}(\mathbf{P}_k)$ can be expressed as a function f_k of $\{\mathbf{L}_k\}_{k=0,\dots,K-1}$ so that the optimization problem (9) can be rewritten as

$$\begin{aligned} &\text{minimize} \quad \sum_{k=0}^{K-1} f_k(\mathbf{L}_0, \dots, \mathbf{L}_{K-1}) + \gamma \sum_{k=0}^{K-1} g(\mathbf{L}_k) \\ &\text{subject to} \quad \sum_{k=0}^{K-1} \text{card}(\|\mathbf{L}_{k,m}\|_2) \leq \eta, \quad m = 1, 2, \dots, M. \end{aligned}$$

We next introduce the indicator function corresponding to the constraint set of the above optimization problem as [23]

$$\mathcal{I}(\{\mathbf{L}_k\}) = \begin{cases} 0 & \text{if } \sum_{k=0}^{K-1} \text{card}(\|\mathbf{L}_{k,m}\|_2) \leq \eta \\ & \text{for } m = 1, 2, \dots, M, \\ +\infty & \text{otherwise,} \end{cases} \quad (11)$$

where for notational simplicity we have used, and henceforth will continue to use, $\{\cdot\}$ instead of $\{\cdot\}_{k=0,\dots,K-1}$. Incorporating the indicator function into the objective function, problem (9) is equivalent to the unconstrained optimization problem

$$\text{minimize} \quad \sum_{k=0}^{K-1} f_k(\{\mathbf{L}_k\}) + \gamma \sum_{k=0}^{K-1} g(\mathbf{L}_k) + \mathcal{I}(\{\mathbf{L}_k\}).$$

Finally, we introduce the new set of variables $\{\mathbf{G}_k\}$, together with the new set of constraints $\mathbf{L}_k = \mathbf{G}_k$, $k = 0, 1, \dots, K-1$, and formulate

$$\begin{aligned} &\text{minimize} \quad \sum_{k=0}^{K-1} f_k(\{\mathbf{L}_k\}) + \gamma \sum_{k=0}^{K-1} g(\mathbf{G}_k) + \mathcal{I}(\{\mathbf{G}_k\}) \\ &\text{subject to} \quad \mathbf{L}_k = \mathbf{G}_k, \quad k = 0, 1, \dots, K-1, \end{aligned} \quad (12)$$

which is now in a form suitable for the application of ADMM.

The augmented Lagrangian [22], [26] corresponding to optimization problem (12) is given by

$$\begin{aligned} &\mathcal{L}(\{\mathbf{L}_k\}, \{\mathbf{G}_k\}, \{\mathbf{A}_k\}) \\ &= \sum_{k=0}^{K-1} f_k(\{\mathbf{L}_k\}) + \gamma \sum_{k=0}^{K-1} g(\mathbf{G}_k) + \mathcal{I}(\{\mathbf{G}_k\}) \\ &\quad + \sum_{k=0}^{K-1} \text{tr}[\mathbf{A}_k(\mathbf{L}_k - \mathbf{G}_k)] + \frac{\rho}{2} \sum_{k=0}^{K-1} \|\mathbf{L}_k - \mathbf{G}_k\|_F^2, \end{aligned} \quad (13)$$

where the matrices $\{\mathbf{A}_k\}$ are the Lagrange multipliers (also referred to as the dual variables), the scalar $\rho > 0$ is a penalty weight, and $\|\cdot\|_F$ denotes the Frobenius norm of a matrix, $\|\mathbf{X}\|_F^2 = \text{tr}(\mathbf{X}^T\mathbf{X})$. The ADMM algorithm can be described as follows [26]. For $i = 0, 1, \dots$, we iteratively execute the following three steps

$$\{\mathbf{L}_k^{i+1}\} := \arg \min_{\{\mathbf{L}_k\}} \mathcal{L}(\{\mathbf{L}_k\}, \{\mathbf{G}_k^i\}, \{\mathbf{A}_k^i\}), \quad (14)$$

$$\{\mathbf{G}_k^{i+1}\} := \arg \min_{\{\mathbf{G}_k\}} \mathcal{L}(\{\mathbf{L}_k^{i+1}\}, \{\mathbf{G}_k\}, \{\mathbf{A}_k^i\}), \quad (15)$$

$$\mathbf{A}_k^{i+1} := \mathbf{A}_k^i + \rho(\mathbf{L}_k^{i+1} - \mathbf{G}_k^{i+1}), \quad k = 0, 1, \dots, K-1, \quad (16)$$

until both of the conditions $\sum_{k=0}^{K-1} \|\mathbf{L}_k^{i+1} - \mathbf{G}_k^{i+1}\|_F \leq \epsilon$, and $\sum_{k=0}^{K-1} \|\mathbf{G}_k^{i+1} - \mathbf{G}_k^i\|_F \leq \epsilon$ are satisfied.

The rationale behind using ADMM can be described as follows [22]. The original nonconvex optimization problem (9) is difficult to solve due to the nondifferentiability of the sparsity-promoting function g . By defining the new set of variables $\{\mathbf{G}_k\}$, we effectively separate the original problem into an “L-minimization” step (14) and a “G-minimization” step (15), of which the former can be addressed using variational methods and descent algorithms and the latter can be solved analytically.

We summarize our proposed method on periodic sensor scheduling in Algorithm 1. In the subsections that follow, we will elaborate on each of the steps involved in the implementation of Algorithm 1 and the execution of the minimization problems (14) and (15).

Algorithm 1: ADMM-based sensor scheduling algorithm

-
- 1: **Require:** Choose ρ, ϵ . Initialize ADMM using $\{\mathbf{A}_k^0\} = \{\mathbf{G}_k^0\} = \{\mathbf{0}\}$ and $\{\mathbf{L}_k^0\}$ from (27).
 - 2: **for** $i = 0, 1, \dots$ **do**
 - 3: Obtain $\{\mathbf{L}_k^{i+1}\}$ using Algorithms 2–3.
 - 4: Obtain $\{\mathbf{G}_k^{i+1}\}$ using Algorithm 4.
 - 5: Obtain $\{\mathbf{A}_k^{i+1}\}$ using $\mathbf{A}_k^{i+1} = \mathbf{A}_k^i + \rho(\mathbf{L}_k^{i+1} - \mathbf{G}_k^{i+1})$, $k = 0, 1, \dots, K-1$.
 - 6: **until** $\sum_{k=0}^{K-1} \|\mathbf{L}_k^{i+1} - \mathbf{G}_k^{i+1}\|_F \leq \epsilon$ and $\sum_{k=0}^{K-1} \|\mathbf{G}_k^{i+1} - \mathbf{G}_k^i\|_F \leq \epsilon$.
 - 7: **end for**
-

A. L-Minimization Using the Anderson-Moore Method

In this section, we apply the Anderson-Moore method to the \mathbf{L} -minimization step (14). The Anderson-Moore method is an iterative technique for solving systems of coupled matrix equations efficiently. We refer the reader to [22] for a more detailed discussion of its applications and related references. In what follows, we extend the approach of [22] to account for the periodicity of the sensor schedule.

Completing the squares with respect to $\{\mathbf{L}_k\}$ in the augmented Lagrangian (13), the \mathbf{L} -minimization step in (14) can be expressed as [22], [26]

$$\text{minimize } \sum_{k=0}^{K-1} f_k(\{\mathbf{L}_k\}) + \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{L}_k - \mathbf{U}_k^i\|_F^2 \quad (17)$$

where $\mathbf{U}_k^i := \mathbf{G}_k^i - (1/\rho)\mathbf{A}_k^i$ for $k = 0, 1, \dots, K-1$. For notational simplicity, henceforth we will use \mathbf{U}_k instead of \mathbf{U}_k^i , where i indicates the iteration index. We bring attention to the fact that, by defining the indicator function \mathcal{I} in (11) and then splitting the optimization variables in (12), we have effectively removed both sparsity penalties and energy constraints from the variables $\{\mathbf{L}_k\}$ in the \mathbf{L} -minimization problem (17). This is a key advantage of applying ADMM to the sensor scheduling problem.

Recalling the definition of f_k , problem (17) can be equivalently written as

$$\text{minimize } \phi(\{\mathbf{L}_k\}) := \sum_{k=0}^{K-1} \text{tr}(\mathbf{P}_k) + \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{L}_k - \mathbf{U}_k\|_F^2$$

subject to $\begin{cases} \text{Lyapunov recursion (5) for } k=0, 1, \dots, K-1, \\ \text{periodicity condition (7)}. \end{cases}$

Proposition 1: The necessary conditions for the optimality of a sequence $\{\mathbf{L}_k\}$ can be expressed as the set of coupled matrix recursions

$$\begin{aligned} \mathbf{P}_{k+1} &= (\mathbf{A} - \mathbf{L}_k \mathbf{C}) \mathbf{P}_k (\mathbf{A} - \mathbf{L}_k \mathbf{C})^T + \mathbf{B} \mathbf{Q} \mathbf{B}^T + \mathbf{L}_k \mathbf{R} \mathbf{L}_k^T \\ \mathbf{V}_k &= (\mathbf{A} - \mathbf{L}_k \mathbf{C})^T \mathbf{V}_{k+1} (\mathbf{A} - \mathbf{L}_k \mathbf{C}) + \mathbf{I} \\ \mathbf{0} &= 2\mathbf{V}_{k+1} \mathbf{L}_k \mathbf{R} - 2\mathbf{V}_{k+1} (\mathbf{A} - \mathbf{L}_k \mathbf{C}) \mathbf{P}_k \mathbf{C}^T \\ &\quad + \rho(\mathbf{L}_k - \mathbf{U}_k) \end{aligned}$$

for $k = 0, \dots, K-1$, where $\mathbf{U}_k := \mathbf{G}_k^i - (1/\rho)\mathbf{A}_k^i$ and $\mathbf{L}_{K^*} = \mathbf{L}_0$, $\mathbf{P}_{K^*} = \mathbf{P}_0$. The expression on the right of the last equation is the gradient of ϕ with respect to \mathbf{L}_k .

Proof: The proof is lengthy but straightforward; the basic idea is to derive $\nabla \phi_{\mathbf{L}_k}$ and set $\nabla \phi_{\mathbf{L}_k} = \mathbf{0}$, $k = 0, 1, \dots, K-1$. Details of the proof are reported in [27] and omitted here for sake of brevity. ■

Due to their coupling, it is a difficult exercise to solve the above set of matrix equations. We thus employ the Anderson-Moore method [22], [28], which is an efficient technique for iteratively solving systems of coupled Lyapunov and Sylvester equations. We note, however, that the set of matrix equations given in the proposition include (periodic) Lyapunov recursions rather than (time-independent) Lyapunov equations. We next apply what can be thought of as a *lifting* procedure [29] to take the periodicity out of these equations and place them in a form appropriate for the application of the Anderson-Moore method.

Let \mathcal{T} denote the following permutation matrix in block-cyclic form [30]

$$\mathcal{T} := \begin{bmatrix} \mathbf{0} & & & & \mathbf{I} \\ \mathbf{I} & & & & \\ & \ddots & & & \\ & & \ddots & & \\ & & & \mathbf{I} & \mathbf{0} \end{bmatrix}$$

where \mathbf{I} is a $N \times N$ identity matrix, and define

$$\mathcal{L} := \mathcal{T} \text{diag}\{\mathbf{L}_k\} = \begin{bmatrix} \mathbf{0} & & & & \mathbf{L}_{K-1} \\ \mathbf{L}_0 & & & & \\ & \ddots & & & \\ & & \ddots & & \\ & & & \mathbf{L}_{K-2} & \mathbf{0} \end{bmatrix},$$

$$\mathcal{P} := \text{diag}\{\mathbf{P}_k\}, \mathcal{V} := \text{diag}\{\mathbf{V}_k\}, \mathcal{U} := \mathcal{T} \text{diag}\{\mathbf{U}_k\},$$

$$\mathcal{Q} := \text{diag}\{\mathbf{Q}\}, \mathcal{R} := \text{diag}\{\mathbf{R}\}, \mathcal{I} := \text{diag}\{\mathbf{I}\},$$

$$\mathcal{A} := \mathcal{T} \text{diag}\{\mathbf{A}\}, \mathcal{B} := \text{diag}\{\mathbf{B}\}, \mathcal{C} := \text{diag}\{\mathbf{C}\}.$$

In the sequel, we do not distinguish between the sequence $\{\mathbf{L}_k\}$ and its cyclic form \mathcal{L} , and will alternate between the two representations as needed. The recursive equations in the statement of Proposition 1 can now be rewritten in the time-independent form

$$\mathcal{P} = (\mathcal{A} - \mathcal{L}\mathcal{C})\mathcal{P}(\mathcal{A} - \mathcal{L}\mathcal{C})^T + \mathcal{B}\mathcal{Q}\mathcal{B}^T + \mathcal{L}\mathcal{R}\mathcal{L}^T \quad (18)$$

$$\mathcal{V} = (\mathcal{A} - \mathcal{L}\mathcal{C})^T \mathcal{V} (\mathcal{A} - \mathcal{L}\mathcal{C}) + \mathcal{I} \quad (19)$$

$$\mathbf{0} = 2\mathcal{V}\mathcal{L}\mathcal{R} - 2\mathcal{V}(\mathcal{A} - \mathcal{L}\mathcal{C})\mathcal{P}\mathcal{C}^T + \rho(\mathcal{L} - \mathcal{U}). \quad (20)$$

Furthermore, defining

$$\begin{aligned} \nabla \Phi &:= \mathcal{T} \text{diag}\{\nabla_{\mathbf{L}_k} \phi\} \\ &= \begin{bmatrix} \mathbf{0} & & & & \nabla_{\mathbf{L}_{K-1}} \phi \\ \nabla_{\mathbf{L}_0} \phi & & & & \\ & \ddots & & & \\ & & \ddots & & \\ & & & \nabla_{\mathbf{L}_{K-2}} \phi & \mathbf{0} \end{bmatrix} \end{aligned}$$

it can be shown that

$$\nabla \Phi = 2\mathcal{V}\mathcal{L}\mathcal{R} - 2\mathcal{V}(\mathcal{A} - \mathcal{L}\mathcal{C})\mathcal{P}\mathcal{C}^T + \rho(\mathcal{L} - \mathcal{U}), \quad (21)$$

i.e., the right side of (20) gives the gradient direction for \mathcal{L} , or equivalently the gradient direction for each \mathbf{L}_k , $k = 0, 1, \dots, K-1$.

We briefly describe the implementation of the Anderson-Moore method as follows. For each iteration of this method, we first keep the value of \mathcal{L} fixed and solve (18) and (19) for \mathcal{P} and \mathcal{V} , then keep \mathcal{P} and \mathcal{V} fixed and solve (20) for a new value \mathcal{L}_{new} of \mathcal{L} . Proposition 2 shows that the difference $\tilde{\mathcal{L}} := \mathcal{L}_{new} - \mathcal{L}$ between the values of \mathcal{L} over two consecutive iterations constitutes a descent direction for $\phi(\{\mathbf{L}_k\})$; see [22], [28] for related results. We employ a line search [25] to determine the step-size s in $\mathcal{L} + s\tilde{\mathcal{L}}$ in order to accelerate the convergence to a stationary point of ϕ . We also assume that there always exists an \mathcal{L} that satisfies the measurement frequency constraint and for which the spectrum of $\mathcal{A} - \mathcal{L}\mathcal{C}$ is contained inside the open unit disk; we elaborate on this condition in Section IV-C. These assumptions guarantee the existence of unique positive definite solutions \mathcal{P} and \mathcal{V} to (18) and (19) [31].

Proposition 2: The difference $\tilde{\mathcal{L}} := \mathcal{L}_{new} - \mathcal{L}$ constitutes a descent direction for $\phi(\{\mathbf{L}_k\})$,

$$\langle \nabla \Phi, \tilde{\mathcal{L}} \rangle < 0, \quad (22)$$

where $\langle \nabla \Phi, \tilde{\mathcal{L}} \rangle := \text{tr}(\nabla \Phi^T \tilde{\mathcal{L}}) = \sum_{k=0}^{K-1} \text{tr}(\nabla_{\mathbf{L}_k} \phi^T \mathbf{L}_k)$. Moreover, $\langle \nabla \Phi(\mathcal{L}), \tilde{\mathcal{L}} \rangle = 0$ if and only if \mathcal{L} is a stationary point of Φ , i.e., $\nabla \Phi(\mathcal{L}) = \mathbf{0}$.

Proof: The proof is similar to [32, Prop.1] and omitted for brevity. ■

We summarize the Anderson-Moore method for solving the \mathbf{L} -minimization step in Algorithm 2. This algorithm calls on the Armijo rule [33], given in Algorithm 3, to update \mathcal{L}

Algorithm 2: L -minimization step (14), in the i th iteration of ADMM, using Anderson-Moore

- 1: If $i = 0$, choose \mathcal{L}^0 from (27). If $i \geq 1$, set \mathcal{L}^0 equal to solution of (14) from previous ADMM iteration.
 - 2: **for** $t = 0, 1, \dots$ **do**
 - 3: Set $\mathcal{L} = \mathcal{L}^t$ and solve (18), (19) to find $\mathcal{P}^t, \mathcal{V}^t$.
 - 4: Set $\mathcal{V} = \mathcal{V}^t, \mathcal{P} = \mathcal{P}^t$ and solve (20) to find $\tilde{\mathcal{L}}^t$.
 - 5: Compute $\tilde{\mathcal{L}}^t = \tilde{\mathcal{L}}^t - \mathcal{L}^t$ and update $\mathcal{L}^{t+1} = \mathcal{L}^t + s^t \tilde{\mathcal{L}}^t$, where s^t is given by Armijo rule (see Algorithm 3).
 - 6: **until** $\|\nabla \Phi(\mathcal{L}^t)\| < \epsilon$.
 - 7: **end for**
-

Algorithm 3: Armijo rule for choosing step-size s^t

- 1: Set $s^t = 1$ and choose $\alpha, \beta \in (0, 1)$.
 - 2: **repeat**
 - 3: $s^t = \beta s^t$,
 - 4: **until** $\phi(\mathcal{L}^t + s^t \tilde{\mathcal{L}}^t) < \phi(\mathcal{L}^t) + \alpha s^t \text{tr}(\nabla \Phi(\mathcal{L}^t)^T \tilde{\mathcal{L}}^t)$.
-

B. G -Minimization

In this section, we consider the \mathbf{G} -minimization step (15) and demonstrate that it can be solved analytically. In what follows, we extend the approach of [22] to account for the periodicity and energy constraints in the sensor schedule.

Completing the squares with respect to $\{\mathbf{G}_k\}$ in the augmented Lagrangian (13), the \mathbf{G} -minimization step in (15) can be expressed as [22], [26]

$$\begin{aligned} & \text{minimize } \gamma \sum_{k=0}^{K-1} g(\mathbf{G}_k) + \frac{\rho}{2} \sum_{k=0}^{K-1} \|\mathbf{G}_k - \mathbf{S}_k^i\|_F^2 \\ & \text{subject to } \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) \leq \eta, \quad m = 1, 2, \dots, M, \end{aligned}$$

where $\mathbf{S}_k^i := \mathbf{L}_k^{i+1} + (1/\rho)\mathbf{A}_k^i$ for $k = 0, 1, \dots, K-1$. For notational simplicity, henceforth we will use \mathbf{S}_k instead of \mathbf{S}_k^i , where i indicates the iteration index. Recalling the definition of g from (10), and replacing $\|\mathbf{G}_k - \mathbf{S}_k\|_F^2$ with $\sum_{m=1}^M \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2$ yields the equivalent optimization problem

$$\begin{aligned} & \text{minimize } \psi(\{\mathbf{G}_k\}) := \sum_{m=1}^M \left(\sum_{k=0}^{K-1} \gamma \text{card}(\|\mathbf{G}_{k,m}\|_2) \right. \\ & \quad \left. + \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2 \right) \\ & \text{subject to } \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) \leq \eta, \quad m = 1, 2, \dots, M, \end{aligned}$$

where we have exploited the *column-wise separability* of $g(\cdot)$ and that of the Frobenius norm.

We form the matrix \mathcal{G}_m by picking out the m th column from each of the matrices in the set $\{\mathbf{G}_k\}$ and stacking them, $\mathcal{G}_m := \mathbf{G}_{0,m} \mathbf{G}_{1,m} \cdots \mathbf{G}_{K-1,m}$. Then the \mathbf{G} -minimization problem decomposes into the subproblems

$$\begin{aligned} & \text{minimize } \psi_m(\mathcal{G}_m) := \sum_{k=0}^{K-1} \gamma \text{card}(\|\mathbf{G}_{k,m}\|_2) \\ & \quad + \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2 \\ & \text{subject to } \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) \leq \eta, \quad (23) \end{aligned}$$

which can be solved separately for $m = 1, 2, \dots, M$.

To solve problem (23) we rewrite the feasible set F of (23), $F = \{\mathcal{G}_m : \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) \leq \eta\}$, as the union $F = F_0 \cup F_1 \cup \dots \cup F_\eta$ of the smaller sets F_q , $q = 0, \dots, \eta$,

$$F_q = \{\mathcal{G}_m : \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) = q\}.$$

Let \mathcal{G}_m^q denote a solution of

$$\begin{aligned} & \text{minimize } \psi_m(\mathcal{G}_m) \\ & \text{subject to } \mathcal{G}_m \in F_q. \quad (24) \end{aligned}$$

Then a minimizer of (23) can be obtained by comparing $\psi_m(\mathcal{G}_m^q)$ for $q = 0, \dots, \eta$ and choosing the one with the least value. The above procedure, together with finding the solution of (24), is made precisely by the following proposition.

Proposition 3: The solution of (23) is obtained by solving the sequence of minimization problems (24) for $q = 0, 1, \dots, \min\{\eta, \kappa\}$, $\kappa = \sum_{k=0}^{K-1} \text{card}(\|\mathbf{S}_{k,m}\|_2)$. Furthermore, the solution of (24) is given by

$$\mathbf{G}_{k,m} = \begin{cases} \mathbf{S}_{k,m} & \|\mathbf{S}_{k,m}\|_2 \geq \|[\mathcal{S}_m]_q\|_2 \text{ and } q \neq 0, \\ \mathbf{0} & \text{otherwise,} \end{cases}$$

for $k = 0, 1, \dots, K-1$, where $\mathbf{S}_k := \mathbf{L}_k^{i+1} + (1/\rho)\mathbf{A}_k^i$, $\mathcal{S}_m := [\mathbf{S}_{0,m}, \dots, \mathbf{S}_{K-1,m}]$, $[\mathcal{S}_m]_q$ denotes the q th largest column of \mathcal{S}_m in the 2-norm sense, and $\mathbf{G}_{k,m}$, $\mathbf{S}_{k,m}$ denote the m th columns of \mathbf{G}_k , \mathbf{S}_k , respectively.

Proof: See Appendix A. ■

We note that problem (23) can be solved via a sequence of equality constrained problems (24) whose analytical solution is determined by Proposition 3. However, instead of solving $\min\{\eta, \kappa\} + 1$ equality constrained problems, it is shown in Proposition 4 that the solution of the G -minimization problem (23) is determined by the magnitude of the sparsity-promoting parameter γ .

Proposition 4: The solution \mathcal{G}_m of (23) is determined by solving one subproblem (24) based on the value of γ ,

$$\mathcal{G}_m = \begin{cases} \mathcal{G}_m^0 & \frac{\rho}{2} \|[\mathcal{S}_m]_1\|_2^2 < \gamma \\ \mathcal{G}_m^1 & \frac{\rho}{2} \|[\mathcal{S}_m]_2\|_2^2 < \gamma \leq \frac{\rho}{2} \|[\mathcal{S}_m]_1\|_2^2 \\ \vdots & \vdots \\ \mathcal{G}_m^{\min\{\eta, \kappa\}} & \gamma \leq \frac{\rho}{2} \|[\mathcal{S}_m]_{\min\{\eta, \kappa\}}\|_2^2 \end{cases} \quad (25)$$

where \mathcal{G}_m^q denotes a solution of (24) with $q = 0, 1, \dots, \min\{\eta, \kappa\}$, and κ and $[\mathcal{S}_m]_q$ are defined as in Proposition 3.

Proof: See Appendix B. ■

It is clear from Proposition 4 that the parameter γ governs the column-sparsity of \mathcal{G}_m . For example, \mathcal{G}_m becomes the zero matrix as $\gamma \rightarrow \infty$, which corresponds to the scenario in which all sensors are always inactive.

To reiterate, in order to solve the G -minimization problem (15), we first decompose it into the M subproblems (23) with separate optimization variables $\{\mathcal{G}_m\}_{m=1, \dots, M}$. Each inequality constrained subproblem (23) is then solved via Proposition 4, in which the solution of the equality constrained problem (24) is determined by Proposition 3. We summarize this procedure in Algorithm 4.

Algorithm 4: G -minimization step (15)

- 1: Given η and $\mathbf{S}_k = \mathbf{L}_k^{i+1} + 1/\rho\mathbf{A}_k^i$, set $\kappa = \sum_{k=0}^{K-1} \text{card}(\|\mathbf{S}_{k,m}\|_2)$.
 - 2: **for** $m = 1, \dots, M$ **do**
 - 3: Set $\mathcal{S}_m = [\mathbf{S}_{0,m}, \dots, \mathbf{S}_{K-1,m}]$.
 - 4: Solve (23) using Prop.4 to obtain $\mathcal{G}_m = \mathcal{G}_m^q$, where \mathcal{G}_m^q is determined from Prop.3.
 - 5: **end for**
 - 6: Use $\{\mathcal{G}_m\}_{m=1, \dots, M}$ to construct $\{\mathbf{G}_k\}_{k=0, 1, \dots, K-1}$.
-

C. Convergence & Initialization of ADMM-Based Periodic Sensor Scheduling

The solution of ADMM for a nonconvex problem generally yields a locally optimal point, and in general depends on the parameter ρ and the initial values of $\{\mathbf{L}_k\}$ and $\{\mathbf{G}_k\}$ [26]. In fact for a nonconvex problem, such as the one considered here, even the convergence of ADMM is not guaranteed [26]. Our numerical experiments and those in other works such as [22] demonstrate that ADMM indeed works well when the value of ρ is chosen to be large. However, *very* large values of ρ make the Frobenius norm dominate the augmented Lagrangian (13) and thus lead to less emphasis on minimizing the estimation error. In order to select an appropriate value of ρ , certain extensions (e.g., varying penalty parameter) of the classical ADMM algorithm have been explored. The reader is referred to [26, Sec.3].

To initialize the estimator gain $\{\mathbf{L}_k\}$, we start with a feasible initializing sensor schedule. Such a schedule can be expressed in terms of the observation matrices over one period, namely, $\mathbf{C}(k) = [\zeta_{k,1}\mathbf{C}_1, \dots, \zeta_{k,M}\mathbf{C}_M]^T$ for $k = 0, 1, \dots, K-1$, where the binary variable $\zeta_{k,m}$ indicates whether or not the m th sensor is active at time k . Note that the periodic sensor schedule $\{\mathbf{C}(k)\}$ uniquely determines the limit cycle of the periodic error covariance matrix [14]. We express the periodic sensor schedule $\{\mathbf{C}(k)\}$ in cyclic form

$$\begin{aligned} \mathcal{C}^0 &:= \mathcal{T} \text{diag}\{\mathbf{C}(k)\} \\ &= \begin{bmatrix} \mathbf{0} & & & & \mathbf{C}(K-1) \\ \mathbf{C}(0) & & & & \\ & \ddots & & & \\ & & \ddots & & \\ & & & \mathbf{C}(K-2) & \mathbf{0} \end{bmatrix}, \end{aligned}$$

and solve the following algebraic Riccati equation for the cyclic form $\{\mathbf{P}_k\}$

$$\mathcal{P} = \mathcal{Q} + \mathcal{A}\mathcal{P}\mathcal{A}^T - \mathcal{A}\mathcal{P}\mathcal{C}^{0T}(\mathcal{C}^0\mathcal{P}\mathcal{C}^{0T} + \mathcal{R})^{-1}\mathcal{C}^0\mathcal{P}\mathcal{A}^{-1}, \quad (26)$$

where \mathcal{P} , \mathcal{Q} , \mathcal{A} and \mathcal{R} have the same definitions as in Section IV-A. The Riccati equation (26) gives the optimal periodic estimator gain corresponding to a discrete-time system with *given* periodic observation matrices $\{\mathbf{C}(k)\}$. Once the solution of (26) is found, the corresponding estimator gain in cyclic form is given by [24]

$$\mathcal{L}^0 = \mathcal{A}\mathcal{P}\mathcal{C}^{0T}(\mathcal{C}^0\mathcal{P}\mathcal{C}^{0T} + \mathcal{R})^{-1}\mathcal{T}^0, \quad (27)$$

where \mathcal{T}^0 has the same block-cyclic form of \mathcal{T} but is instead formed using $M \times M$ identity matrices.

It is not difficult to show that the matrix \mathcal{L}^0 in (27) has the same sparsity pattern as \mathcal{C}^0 . Thus, the sequence $\{\mathbf{L}_k^0\}$ obtained from \mathcal{L}^0 respects the energy constraints and can be used to initialize ADMM. Furthermore, we assume that $(\mathcal{C}^0, \mathcal{A})$ is observable, which guarantees that the spectrum of $\mathcal{A} - \mathcal{L}^0\mathcal{C}^0$ is contained inside the open unit disk and thus the initializing estimator gains $\{\mathbf{L}_k^0\}$ will be stabilizing. Finally, for simplicity $\{\mathbf{G}_k\}$ is initialized to $\mathbf{G}_k = \mathbf{0}$, $k = 0, 1, \dots, K-1$.

D. Complexity Analysis

It has been shown that ADMM typically takes a few tens of iterations to converge with modest accuracy for many appli-

cations [21]–[23], [26], [28]. The computational complexity of each iteration of ADMM is dominated by the \mathbf{L} -minimization step, since the analytical solution of the \mathbf{G} -minimization step can be directly obtained and the dual update is calculated by matrix addition. For the \mathbf{L} -minimization subproblem, the descent Anderson-Moore method requires the solutions of two Lyapunov equations (18)–(19) and one Sylvester (20) at each iteration. To solve them, the Bartels-Stewart method [34] yields the complexity $O(K^3N^3 + K^3M^3 + K^3MN^2 + K^3NM^2)$, where K is the length of the period, M is the number of sensors and N is the dimension of the state vector. We also note that the convergence of the Anderson-Moore method is guaranteed by Prop.2, and it typically requires a small number of iterations because of the implementation of the Armijo rule.

For additional perspective, we compare the computational complexity of our proposed methodology to a periodic sensor scheduling problem that is solved by semidefinite programming (SDP), for example as done in [16]. The complexity of SDP is approximated by $O(a^2b^{2.5} + ab^{3.5})$ [35], where a and b denote the number of optimization variables and the size of the semidefinite matrix, respectively. For the linear matrix inequality (LMI) problem proposed in [16], the computation complexity is determined by $a = N(N+1)/2 + M$ and $b = (K+1)N + M$. Thus, problems involving large-scale dynamical system with many state variables, result in large SDPs with computation complexity $O(N^{6.5})$. It can be seen that our approach reduces the computational complexity by a factor of $N^{3.5}$ compared to the LMI-based method of [16].

V. EXAMPLE: FIELD ESTIMATION OF A SPATIALLY EXTENDED SYSTEM

In order to demonstrate the effectiveness of our proposed periodic sensor scheduling algorithm, we consider the example of field monitoring. In this problem, sensors are deployed on a rectangular region to estimate the state of a diffusion process described by the partial differential equation [8], [19]

$$\frac{\partial \xi(\mathbf{s}, t)}{\partial t} = \nabla^2 \xi(\mathbf{s}, t) \quad (28a)$$

with Dirichlet boundary conditions

$$\xi(\mathbf{s}, \cdot) = 0 \quad \mathbf{s} \in \partial \mathcal{D} \quad (28b)$$

where $\xi(\mathbf{s}, t)$ denotes the field (or state) value at location \mathbf{s} and time t , ∇^2 denotes the Laplace operator, and $\partial \mathcal{D}$ denotes the boundary of a rectangular region of interest \mathcal{D} .

We consider a spatially-discretized approximation of (28) and our aim is to estimate the state over the entire discrete lattice using a small number of sensors; see Fig. 1 for an example. With an abuse of notation, a simple discrete approximation of (28) can be generated by setting [8]

$$\nabla^2 \xi(\mathbf{s}, t) \Big|_{\mathbf{s}=(i,j)} \approx \frac{\xi(i+1, j, t) - 2\xi(i, j, t) + \xi(i-1, j, t)}{h^2} + \frac{\xi(i, j+1, t) - 2\xi(i, j, t) + \xi(i, j-1, t)}{h^2}, \quad (29)$$

for $i = 0, 1, \dots, \ell_h$ and $j = 0, 1, \dots, \ell_v$, where ℓ_h+2 and ℓ_v+2 are the width and length of a rectangular region, respectively;




Fig. 1. $M = 10$ sensors deployed in a 6×6 region.

for example, $\ell_h = \ell_v = 4$ in Fig. 1. In (29), h denotes the physical distance between the lattice points, and $\xi(-1, j, t) = \xi(\ell_h + 1, j, t) = \xi(i, -1, t) = \xi(i, \ell_v + 1, t) = 0$ for all indices i, j and time t .

From (28) and (29), we can obtain the evolution equations $\frac{d}{dt} \mathbf{x}(t) = \mathbf{A}_\Delta \mathbf{x}(t)$, where $\mathbf{x}(t) \in \mathbb{R}^N$, $N = (\ell_h + 1) \times (\ell_v + 1)$, denotes the state vector $\mathbf{x}(t) = [\xi(0, 0, t), \xi(0, 1, t), \dots, \xi(\ell_h, \ell_v, t)]^T$, and \mathbf{A}_Δ can be directly computed from (29). Finally, applying a discretization in time and introducing process noise (i.e., a spatio-temporal random field) into the evolution yields

$$\mathbf{x}_{k+1} = \mathbf{A} \mathbf{x}_k + \mathbf{w}_k.$$

Here, \mathbf{x}_k is the state vector, \mathbf{w}_k is a white Gaussian process with zero mean and covariance matrix \mathbf{Q} , \mathbf{A} is the system transition matrix $\mathbf{A} = e^{\mathbf{A}_\Delta T}$, and T is the temporal sampling interval.

We assume that M sensors, $M < N$, are deployed and make measurements of the state according to

$$\mathbf{y}_k = \mathbf{C} \mathbf{x}_k + \mathbf{v}_k,$$

where $\mathbf{y}_k \in \mathbb{R}^M$ is the measurement vector, \mathbf{v}_k denotes the measurement noise which is a white Gaussian process with zero mean and covariance matrix \mathbf{R} , and \mathbf{C} is the $M \times N$ observation matrix. For example, the case where the m th row of \mathbf{C} contains only one nonzero entry equal to 1 corresponds to the scenario in which the m th entry of \mathbf{y}_k represents measurements of the field at the location of the m th sensor.

We consider an instance in which $M = 10$ sensors are deployed to monitor $N = 25$ field points shown in Fig. 1. We assume that each sensor can be selected at most η times, $\eta \in \{1, \dots, 10\}$, during any period of length $K = 10$. Furthermore, we select $T = 0.5$, $\mathbf{Q} = 0.25 \mathbf{I}$, and $\mathbf{R} = \mathbf{I}$. The ADMM stopping tolerance is $\epsilon = 10^{-3}$. In our computations, ADMM converges for $\rho \geq 10$ and the required number of iterations is around 50.

In Fig. 2, for our approach we present the estimation performance, namely the cumulative traces of error covariance matrices over one period, respectively as a function of the cumu-




Fig. 2. Estimation performance obtained from our approach. Left plot: Tradeoff between estimation performance and total number of sensors (in terms of column-cardinality of $\{L_k\}$) for a fixed $\eta = 5$; Right plot: Estimation performance as a function of measurement frequency bound η .

relative column-cardinality of $\{L_k\}$ and the measurement frequency bound η . In the left plot, we fix $\eta = 5$ and vary γ , which results in changes in the column-cardinality of $\{L_k\}$ and renders the trade-off curve between the conflicting objectives of good estimation performance and minimal sensor usage. Numerical results demonstrate that as the column-cardinality of $\{L_k\}$ increases and more sensors are activated, the estimation performance improves. In the right plot, we observe that the estimation performance is improved by increasing η . This is not surprising, as a larger value of η allows the (most informative) sensors to be active more frequently.

Next, we compare the estimation performance of our approach to that of random scheduling, where the latter method refers to randomly selected sensor schedules that satisfy the measurement frequency constraint and have the same total number of active sensors over one period as the schedule obtained from our approach. The performance of the random strategy is taken to be the average of the traces of error covariance matrices over 500 simulation trials. In Fig. 3, the estimation performance is presented as a function of the measurement frequency bound η for three different values of the sparsity-promoting parameter $\gamma = 0, 0.1, 0.15$. Numerical results show that our approach significantly outperforms the random strategy for $\gamma = 0.1, 0.15$, as the former approach takes into account sensor activations over both time and space. For $\gamma = 0$ there is no penalty on sensor activations, and to achieve the best estimation performance every sensor is active η times per period (i.e., all sensors attain their measurement frequency bound). As a consequence, the performance gap between our approach and that of the random strategy is not as large for $\gamma = 0$ as it is for $\gamma > 0$. In our numerical experiments for smaller versions of this example, where exhaustive searches are feasible, we observed that our proposed method yields sensor schedules that are identical or close in performance to the globally optimal schedule found via an exhaustive search.




Fig. 3. Performance comparison of random schedules versus our proposed schedule.

In Fig. 4, we use ADMM to obtain the sensor schedule over a time period of length $K = 10$ for $\gamma \in \{0, 0.1, 0.15\}$ and $\eta \in \{1, 5, 8\}$; the subplots represent increasing values of γ from left to right and increasing values of η from top to bottom. In each subplot, the horizontal axis represents discrete time, the vertical axis represents sensor indices, and circles represent activated sensors. We also observe that sensors selected at two consecutive time instances tend to be spatially distant from each other. For example, at time instants $t = 1, 2, 3$ the active sensors are 6, 9, 4, respectively.

In Figs. 4(I-a)–4(I-c), we assume $\eta = 1$ and vary the magnitude of the sparsity-promoting parameter γ . As seen in Fig. 4(I-a), for $\gamma = 0$ every sensor is selected exactly once over $K = 10$ time steps. Figs. 4(I-b) and 4(I-c) demonstrate that fewer sensors are selected as γ is further increased. This is to be expected, as the value of γ in (9) determines our emphasis on the column-cardinality of $\{L_k\}$.

In Figs. 4(I-c)–4(III-c) for $\gamma = 0.15$ we compare the optimal time-periodic schedules for different values of the frequency bound $\eta = 1, 5, 8$. Numerical results show that for $\gamma = 0.15$ the 6th and 7th sensor are selected. To justify this selection, we note that these two sensors are located close to the center of the spatial region \mathcal{D} ; see Fig. 1. Although we consider excitations that are in the form of a Gaussian random field, the states at the boundary $\partial\mathcal{D}$ are forced to take the value zero and the states closest to the center of \mathcal{D} are subject to the largest uncertainty. Therefore, from the perspective of entropy, the measurements taken from the sensors 6 and 7 are the most informative for the purpose of field estimation. As we increase η , we allow such informative sensors to be active more frequently.

Moreover, the sensor schedule in Fig. 4(II-c) verifies the optimality of the *uniform staggered sensing* schedule for two sensors, a sensing strategy whose optimality was proven in [20] and [15, Proposition 5.2]. In addition, although the periodicity of the sensor schedule was *a priori* fixed at the value $K = 10$, as η increases numerical results demonstrate repetitive patterns in the optimal sensor schedule. As seen in Figs. 4(II-c) and 4(III-c),




Fig. 4. I- Sensor scheduling schemes with measurement frequency bound $\eta = 1$: (I-a) $\gamma = 0$, (I-b) $\gamma = 0.1$, (I-c) $\gamma = 0.15$. II- Sensor scheduling schemes with measurement frequency bound $\eta = 5$: (II-a) $\gamma = 0$, (II-b) $\gamma = 0.1$, (II-c) $\gamma = 0.15$. III- Sensor scheduling schemes with measurement frequency bound $\eta = 8$: (III-a) $\gamma = 0$, (III-b) $\gamma = 0.1$, (III-c) $\gamma = 0.15$.

for $\eta = 5$ and $\eta = 8$ the sensor schedule repeats itself five times over 10 time steps and two times over 10 time steps, respectively. This indicates that the value of the sensing period K can be made smaller than 10.

A. Comparison With Existing Methods

In this subsection, we compare the performance of our approach with that of methods proposed in [15]–[17] and an exhaustive search that enumerates all possible measurement sequences. For tractability in the exhaustive search, we consider a small random field where $N = 4$ and $\mathbf{R} = \mathbf{I}$. The values of other system parameters K , M , T and \mathbf{Q} are specified in the following numerical examples. Also we set $\gamma = 0$ to make our approach comparable to the existing methods in [15]–[17]. The ADMM stopping tolerance is chosen as $\epsilon = 10^{-3}$.

Fig. 5, we study a numerical example stated in [15] and present the sensor schedules obtained from our approach with $K = 7$, $M = 2$, $T = 0.5$, $\mathbf{Q} = 0.25\mathbf{I}$, $\eta_1 + \eta_2 = 7$ and

$\eta_1 \in \{1, 2, 3\}$. We observe that the sensor with smaller value of measurement frequency bound (in the present example, this corresponds to sensor one with $\eta_1 \in \{1, 2, 3\}$) is scheduled as temporally uniformly as possible; the resulting periodic sensor schedules are in agreement with those obtained in [15, Prop. 5.2].

In Fig. 6, we compare the performance of our approach with the periodic sensor scheduling method in [16]; each plot in Fig. 6 represents the gap between the approach being considered and the globally optimal sensor schedule as a function of the process noise variance q , with $K = M = 4$, $T = 0.5$, and $\mathbf{Q} = q\mathbf{I}$. We recall that the periodic sensor scheduling problem in [16] is formulated under the assumption of negligible process noise, and is solved using linear matrix inequalities (LMIs). The assumption that process noise is negligible results in the insensitivity of the performance objective to the order in which sensors are activated. This assumption holds for deep space applications considered in [18], but is not a practical assumption in




Fig. 5. The periodic sensor schedule of two sensors with $K = 7$.






Fig. 6. Performance gaps of the method in [16] and our approach with respect to the optimal schedule.

general. Fig. 6 demonstrates that for small values of q , our approach and that of [16] yield very similar performance. However, for $q > 0.1$ our approach results in significant improvement in estimation performance. That is due to the fact that our optimization procedure takes into account the temporal ordering of sensor measurements.

In Fig. 7, we compare the performance of our proposed sensor scheduling approach and the periodic switching policy of [17], where $M = 4$ and $Q = 0.25\mathbf{I}$. In Fig. 7(a), each plot represents the gap between the approach being considered and the globally optimal sensor schedule for different values of the sampling interval T , where $K = 4$, and T denotes the sampling time used to discretize the continuous-time system in (28). Since K is the period in discrete time, the period length in continuous time is given by $\epsilon = KT$. Simulation results show that both of the sensor scheduling methods achieve the performance of the globally optimal sensor schedule as $T \rightarrow 0$. This is due to the fact that $\epsilon \rightarrow 0$ while $T \rightarrow 0$. And it has been shown in [17]



(a)



(b)

Fig. 7. Performance comparison with the periodic switching policy of [17]: (a) Performance gaps of the periodic switching policy of [17] and our approach with respect to the optimal schedule; (b) Performance comparison between our approach and the periodic switching policy of [17] for different values of period lengths.

that the best estimation performance is attained by using a periodic switching policy as $\epsilon \rightarrow 0$ (and thus sensors are switched as fast as possible). However, as T increases, our approach outperforms the periodic switching policy significantly, which indicates that the sensor schedules obtained from the method of [17] are inappropriate for scheduling sensors for discrete-time systems with moderate sampling rates.

In Fig. 7(b), we use the periodic switching policy of [17] to obtain the optimal sensor schedule and compare its performance with our approach for the fixed sampling interval $T = 0.5$ and different values of K . Fig. 7(b) demonstrates that the periodic switching policy of [17] loses optimality as K increases. This is not surprising, since the optimality of the periodic switching policy is only guaranteed as the period length goes to zero.

Therefore, to schedule sensors on a discrete-time system with a moderate sampling interval, such as $T = 0.5$ in the present example, our approach achieves better estimation performance than the periodic switching policy of [17].

VI. CONCLUSION

In this paper, we studied the problem of sensor scheduling for linear dynamical systems. We proposed an algorithm that determines optimal time-periodic sensor schedules. In order to strike a balance between estimation accuracy and the number of sensor activations, the optimization problem aims to minimize the trace of the estimation error covariance matrices while penalizing the number of nonzero columns of the estimator gains. For solving the proposed optimization problem, we employed ADMM, which allows the optimization problem to be decomposed into subproblems that can either be solved efficiently using iterative numerical methods or solved analytically to obtain exact solutions. Our results showed that our approach outperforms previously available periodic sensor scheduling algorithms.

In this paper, we assumed that the period length of the periodic sensor schedule is fixed and is not an optimization variable. This leaves open the question of how to find the optimal period. Also, we characterized the measurement frequency bound in terms of the number of times each sensor can be activated over a period. In future work, instead of a “hard” constraint on the measurement frequency bound, we could consider more practical energy models that take into account the cost of repetitively selecting the informative sensors. Furthermore, in order to reduce the computational burden of the fusion center, developing a decentralized architecture where the optimization procedure can be carried out in a distributed way and by the sensors themselves is another direction of future research.

APPENDIX A

PROOF OF PROPOSITION 3

Problem (24) is equivalent to

$$\begin{aligned} \text{minimize } \psi_m(\mathcal{G}_m) &:= \sum_{k=0}^{K-1} \gamma \text{card}(\|\mathbf{G}_{k,m}\|_2) \\ &+ \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2 \\ \text{subject to } \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) &= q, \quad q \in \{0, \dots, \eta\} \end{aligned}$$

where $\mathcal{G}_m := [\mathbf{G}_{0,m}, \dots, \mathbf{G}_{K-1,m}]$. Similar to \mathcal{G}_m , we form the matrix \mathcal{S}_m by picking out the m th column from each of the matrices in the set $\{\mathbf{S}_k\}$ and stacking them to obtain $\mathcal{S}_m := [\mathbf{S}_{0,m}, \dots, \mathbf{S}_{K-1,m}]$. We define $\kappa := \sum_{k=0}^{K-1} \text{card}(\|\mathbf{S}_{k,m}\|_2)$, which gives the column-cardinality of \mathcal{S}_m .

It can be shown that if $q = \kappa$ then the minimizer \mathcal{G}_m^κ of problem (24) is \mathcal{S}_m , and $\psi_m(\mathcal{G}_m^\kappa) = \gamma\kappa$. If $q > \kappa$, we have $\psi_m(\mathcal{G}_m) > \psi_m(\mathcal{G}_m^\kappa)$ for arbitrary values of $\mathcal{G}_m \in F_q$ since $\psi_m(\mathcal{G}_m) = \gamma q + \frac{\rho}{2} \|\mathcal{G}_m - \mathcal{S}_m\|_F^2$ which is greater than $\psi_m(\mathcal{G}_m^\kappa) = \gamma\kappa$. Therefore, the solution of (23) is only deter-

mined by solving the sequence of minimization problems (24) for $q = 0, 1, \dots, \min\{\eta, \kappa\}$ rather than $q = 0, 1, \dots, \eta$.

For a given $q \in \{0, 1, \min\{\eta, \kappa\}\}$, problem (24) can be written as

$$\begin{aligned} \text{minimize } \mathcal{G}_m & \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2 \\ \text{subject to } & \sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) = q. \end{aligned}$$

For $q = 0$, the minimizer \mathcal{G}_m^q of the optimization problem is $\mathbf{0}$. For $q \neq 0$, it was demonstrated in [23, Appendix B] that the solution is obtained by projecting the minimizer ($\mathcal{G}_m = \mathcal{S}_m$) of the objective function onto the constraint set $\sum_{k=0}^{K-1} \text{card}(\|\mathbf{G}_{k,m}\|_2) = q$. This gives

$$\mathbf{G}_{k,m} = \begin{cases} \mathbf{S}_{k,m} & \|\mathbf{S}_{k,m}\|_2 \geq \|[\mathcal{S}_m]_q\|_2 \\ \mathbf{0} & \|\mathbf{S}_{k,m}\|_2 < \|[\mathcal{S}_m]_q\|_2 \end{cases}, \quad (30)$$

for $k = 0, 1, \dots, K-1$, where $[\mathcal{S}_m]_q$ is the q th largest column of \mathcal{S}_m in the 2-norm sense. The proof is now complete. ■

APPENDIX B

PROOF OF PROPOSITION 4

According to Prop. 3, substituting the minimizer \mathcal{G}_m^q of problem (24) into its objective function yields

$$\begin{aligned} \psi_m(\mathcal{G}_m^q) &= \sum_{k=0}^{K-1} \frac{\rho}{2} \|\mathbf{G}_{k,m} - \mathbf{S}_{k,m}\|_2^2 \\ &+ \sum_{k=0}^{K-1} \gamma \text{card}(\|\mathbf{G}_{k,m}\|_2) \\ &= \sum_{\substack{k=0 \\ k \notin \chi_q}}^{K-1} \frac{\rho}{2} \|\mathbf{S}_{k,m}\|_2^2 + \gamma q, \end{aligned}$$

where $\mathbf{S}_{k,m}$ denotes the m th column of \mathbf{S}_k , χ_q is a set that is composed by indices of the first q largest columns of \mathcal{S}_m (refer to Appendix A) in the 2-norm sense, and $\chi_0 = \emptyset$. We have

$$\psi_m(\mathcal{G}_m^q) - \psi_m(\mathcal{G}_m^{q+1}) = \frac{\rho}{2} \|[\mathcal{S}_m]_{q+1}\|_2^2 - \gamma \quad (31)$$

for $q = 0, 1, \dots, \min\{\eta, \kappa\} - 1$, where $[\mathcal{S}_m]_{q+1}$ denotes the $(q+1)$ th largest column of \mathcal{S}_m in the 2-norm sense.

Since $[\mathcal{S}_m]_1 \geq [\mathcal{S}_m]_2 \geq \dots \geq [\mathcal{S}_m]_{\min\{\eta, \kappa\}}$, for $\gamma \in (\frac{\rho}{2} \|[\mathcal{S}_m]_1\|_2^2, \infty)$ (31) yields $\psi_m(\mathcal{G}_m^0) - \psi_m(\mathcal{G}_m^1) < 0$ and $\psi_m(\mathcal{G}_m^q) - \psi_m(\mathcal{G}_m^{q+1}) < 0$ for other $q \in \{1, \dots, \min\{\eta, \kappa\} - 1\}$. Therefore, the minimizer of (23) is given by \mathcal{G}_m^0 . Similarly, for $\gamma \in (\frac{\rho}{2} \|[\mathcal{S}_m]_{q+1}\|_2^2, \frac{\rho}{2} \|[\mathcal{S}_m]_q\|_2^2)$ (31) yields $\psi_m(\mathcal{G}_m^{l-1}) - \psi_m(\mathcal{G}_m^l) \geq 0$ for $l = 1, \dots, q$, and $\psi_m(\mathcal{G}_m^l) - \psi_m(\mathcal{G}_m^{l+1}) < 0$ for $l = q, \dots, \min\{\eta, \kappa\} - 1$. Therefore, the minimizer of (23) is given by \mathcal{G}_m^q . Finally, we can write the solution of (23) in the form given in the statement of Prop. 4. The proof is now complete. ■

ACKNOWLEDGMENT

The authors acknowledge Dr. Fu Lin and Prof. Mihailo R. Jovanovic for making available their Matlab codes for

sparsity-promoting linear quadratic regulators (lqrsp.m, available at http://www.ece.umn.edu/users/mihailo_/software/lqrsp/index.html). These files facilitated the authors in implementing the algorithms presented in this work for optimal periodic sensor scheduling.

REFERENCES

- [1] R. Nowak, U. Mitra, and R. Willett, "Estimating inhomogeneous fields using wireless sensor networks," *IEEE J. Sel. Areas Commun.*, vol. 22, no. 6, pp. 999–1006, Aug. 2004.
- [2] E. Masazade, R. Niu, P. K. Varshney, and M. Keskinoz, "Energy aware iterative source localization for wireless sensor networks," *IEEE Trans. Signal Process.*, vol. 58, no. 9, pp. 4824–4835, Sep. 2010.
- [3] E. Masazade, R. Niu, and P. K. Varshney, "Dynamic bit allocation for object tracking in wireless sensor networks," *IEEE Trans. Signal Process.*, vol. 60, no. 10, pp. 5048–5063, Oct. 2012.
- [4] E. Ertin, J. W. Fisher, and L. C. Potter, "Maximum mutual information principle for dynamic sensor query problems," in *Proc. 2nd Int. Conf. Inf. Process. Sens. Netw.*, 2003, pp. 405–416.
- [5] H. Wang, G. Pottie, K. Yao, and D. Estrin, "Entropy-based sensor selection heuristic for target localization," in *Proc. 3rd Int. Conf. on Inf. Process. Sens. Netw.*, 2004, pp. 36–45.
- [6] V. Gupta, T. Chung, B. Hassibi, and R. M. Murray, "Sensor scheduling algorithms requiring limited computation," in *Proc. IEEE Int. Conf. Acoust., Speech, Signal Process.*, 2004, vol. 3, pp. 825–828.
- [7] S. Joshi and S. Boyd, "Sensor selection via convex optimization," *IEEE Trans. Signal Process.*, vol. 57, no. 2, pp. 451–462, Feb. 2009.
- [8] Y. Mo, R. Ambrosino, and B. Sinopoli, "Sensor selection strategies for state estimation in energy constrained wireless sensor networks," *Automatica*, vol. 47, no. 7, pp. 1330–1338, 2011.
- [9] X. Shen and P. K. Varshney, "Sensor selection based on generalized information gain for target tracking in large sensor networks," *IEEE Trans. Signal Process.*, vol. 62, no. 2, pp. 363–375, Jan. 2014.
- [10] A. S. Chhetri, D. Morrell, and A. Papandreou-Suppappola, "Efficient search strategies for non-myopic sensor scheduling in target tracking," in *Proc. 38th Asilomar Conf. Signals, Syst. Comput.*, 2004, vol. 2, pp. 2106–2110.
- [11] J. Liu, D. Petrovic, and F. Zhao, "Multi-step information-directed sensor querying in distributed sensor networks," in *Proc. IEEE Int. Conf. Acoust., Speech, Signal Process. (ICASSP)*, 2003, vol. 5, pp. 145–148.
- [12] P. Hovareshti, V. Gupta, and J. S. Baras, "Sensor scheduling using smart sensors," in *Proc. 46th IEEE Conf. Decision Control*, Dec. 2007, pp. 494–499.
- [13] M. P. Vitus, W. Zhang, A. Abate, J. Hu, and C. J. Tomlin, "On efficient sensor scheduling for linear dynamical systems," *Automatica*, vol. 48, no. 10, pp. 2482–2493, 2012.
- [14] W. Zhang, M. P. Vitus, J. Hu, A. Abate, and C. J. Tomlin, "On the optimal solutions of the infinite-horizon linear sensor scheduling problem," in *Proc. 49th IEEE Conf. Decision Control*, Dec. 2010, pp. 396–401.
- [15] L. Shi, P. Cheng, and J. Chen, "Optimal periodic sensor scheduling with limited resources," *IEEE Trans. Autom. Control*, vol. 56, no. 9, pp. 2190–2195, Sep. 2011.
- [16] T. H. McLoughlin and M. Campbell, "Solutions to periodic sensor scheduling problems for formation flying missions in deep space," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 47, no. 2, pp. 1351–1368, Apr. 2011.
- [17] J. L. Ny, E. Feron, and M. A. Dahleh, "Scheduling continuous-time Kalman filters," *IEEE Trans. Autom. Control*, vol. 56, no. 6, pp. 1381–1394, 2011.
- [18] E. Feron and C. Olivier, "Targets, sensors and infinite-horizon tracking optimality," in *Proc. 29th IEEE Conf. Decision Control*, 1990, vol. 4, pp. 2291–2292.
- [19] H. Zhang, J. Moura, and B. Krogh, "Dynamic field estimation using wireless sensor networks: Tradeoffs between estimation error and communication cost," *IEEE Trans. Signal Process.*, vol. 57, no. 6, pp. 2383–2395, Jun. 2009.
- [20] R. Niu, P. K. Varshney, K. Mehrotra, and C. Mohan, "Temporally staggered sensors in multi-sensor target tracking systems," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 41, no. 3, pp. 794–808, Jul. 2005.
- [21] E. Masazade, M. Fardad, and P. K. Varshney, "Sparsity-promoting extended Kalman filtering for target tracking in wireless sensor networks," *IEEE Signal Process. Lett.*, vol. 19, no. 12, pp. 845–848, Dec. 2012.
- [22] F. Lin, M. Fardad, and M. R. Jovanovic, "Design of optimal sparse feedback gains via the alternating direction method of multipliers," *IEEE Trans. Autom. Control*, vol. 58, pp. 2426–2431, 2013.
- [23] F. Liu, M. Fardad, and M. R. Jovanovic, "Algorithms for leader selection in large dynamical networks: Noise-corrupted leaders," in *Proc. 50th IEEE Conf. Decision Control*, Dec. 2011, pp. 2932–2937.
- [24] R. E. Kalman, "A new approach to linear filtering and prediction problems," *Trans. ASME—J. Basic Eng.*, vol. 1, no. 82, pp. 35–45, 1960.
- [25] S. Boyd and L. Vandenberghe, *Convex Optimization*. Cambridge, U.K.: Cambridge Univ. Press, 2004.
- [26] S. Boyd, N. Parikh, E. Chu, B. Peleato, and J. Eckstein, "Distributed optimization and statistical learning via the alternating direction method of multipliers," *Found. Trends in Mach. Learn.*, vol. 3, no. 1, pp. 1–122, 2011.
- [27] S. Liu, M. Fardad, E. Masazade, and P. K. Varshney, "Optimal periodic sensor scheduling in networks of dynamical systems," 2014 [Online]. Available: <http://arxiv.org/abs/1305.5601v2>
- [28] F. Lin, M. Fardad, and M. R. Jovanovic, "Augmented Lagrangian approach to design of structured optimal state feedback gains," *IEEE Trans. Autom. Control*, vol. 56, no. 12, pp. 2923–2929, Dec. 2011.
- [29] T. Chen and B. Francis, *Optimal Sampled-Data control systems*. New York, NY, USA: Springer-Verlag, 1995.
- [30] H. Fassbender and D. Kressner, "Structured eigenvalue problems," *GAMM-Mitt.*, vol. 29, pp. 297–318, 2006.
- [31] T. Mori, N. Fukuma, and M. Kuwahara, "On the discrete Lyapunov matrix equation," *IEEE Trans. Autom. Control*, vol. 27, no. 2, pp. 463–464, Apr. 1982.
- [32] F. Lin, M. Fardad, and M. R. Jovanovic, "Design of optimal sparse feedback gains via the alternating direction method of multipliers," 2011 [Online]. Available: <http://arxiv.org/abs/1111.6188v1>
- [33] D. P. Bertsekas, *Nonlinear Programming*. Belmont, MA, USA: Athena Scientific, 1999.
- [34] R. H. Bartels and G. W. Stewart, "Solution of the matrix equation $AX + XB = C$," *Commun. ACM*, vol. 15, no. 9, pp. 820–826, 1972.
- [35] A. Nemirovski, "Interior point polynomial time methods in convex programming," 2012 [Online]. Available: http://www2.isye.gatech.edu/nemirovs/Lect_IPM.pdf



Sijia Liu (S'13) was born in Zhengzhou, Henan, China, on December 19, 1985. He received the B.S. and M.S. degrees in electrical engineering from Xi'an Jiaotong University in 2008 and 2011, respectively. Since 2011, he has been working towards the Ph.D. degree in electrical and computer engineering at Syracuse University.

His research interests include statistical signal processing, convex optimization, distributed estimation, localization, tracking and resource management for wireless sensor networks. He was one of the finalists in the student paper contest at Asilomar conference on signals, systems, and computers, 2013. He was the winner of Nunan research poster competition at Syracuse University in 2012.



Makan Fardad (M'09) received the B.S. and M.S. degrees in electrical engineering from Sharif University of Technology and Iran University of Science and Technology, respectively. He received the Ph.D. degree in mechanical engineering from the University of California, Santa Barbara in 2006.

He was a Postdoctoral Associate at the University of Minnesota before joining the Department of Electrical Engineering and Computer Science at Syracuse University in 2008. His research interests are in modeling, analysis, and optimization of networks and large-scale interconnected systems.



Engin Masazade (S'03–M'10) received the B.S. degree from the Department of Electronics and Communications Engineering, Istanbul Technical University, Istanbul, Turkey, in 2003. He received the M.S. and Ph.D. degrees from the Electronics Engineering Program, Sabanci University, Istanbul, Turkey, in 2006 and 2010, respectively.

He is currently an assistant professor with the Department of Electrical and Electronics Engineering, Yeditepe University, Istanbul, Turkey. Before joining Yeditepe University, he was a Postdoctoral Research Associate with the Department of Electrical Engineering and Computer Science, Syracuse University, NY. His research interests include distributed detection, localization, and tracking for wireless sensor networks, and dynamic resource management in sensor/communication networks. In 2013, he received the Scientific and Technological Research Council of Turkey (TUBITAK) CAREER Award.



Pramod K. Varshney (S'72–M'77–SM'82–F'97) was born in Allahabad, India, on July 1, 1952. He received the B.S. degree in electrical engineering and computer science (with highest honors), and the M.S. and Ph.D. degrees in electrical engineering from the University of Illinois at Urbana-Champaign in 1972, 1974, and 1976 respectively.

From 1972 to 1976, he held teaching and research assistantships with the University of Illinois. Since 1976, he has been with Syracuse University, Syracuse, NY, where he is currently a Distinguished

Professor of Electrical Engineering and Computer Science and the Director of CASE: Center for Advanced Systems and Engineering. He served as the Associate Chair of the department from 1993 to 1996. He is also an Adjunct Professor of Radiology at Upstate Medical University, Syracuse. His current research interests are in distributed sensor networks and data fusion, detection and estimation theory, wireless communications, image processing, radar signal processing, and remote sensing. He has published extensively. He is the author of *Distributed Detection and Data Fusion* (New York: Springer-Verlag, 1997). He has served as a consultant to several major companies.

Dr. Varshney was a James Scholar, a Bronze Tablet Senior, and a Fellow while at the University of Illinois. He is a member of Tau Beta Pi and is the recipient of the 1981 ASEE Dow Outstanding Young Faculty Award. He was elected to the grade of Fellow of the IEEE in 1997 for his contributions in the area of distributed detection and data fusion. He was the Guest Editor of the Special Issue on Data Fusion of the IEEE PROCEEDINGS January 1997. In 2000, he received the Third Millennium Medal from the IEEE and Chancellor's Citation for exceptional academic achievement at Syracuse University. He is the recipient of the IEEE 2012 Judith A. Resnik Award. He is on the Editorial Boards of the *Journal on Advances in Information Fusion* and IEEE SIGNAL PROCESSING MAGAZINE. He was the President of International Society of Information Fusion during 2001.