
C# Programming Language Overview

Jim Fawcett
CSE775 – Distributed Objects
Spring 2005

C# Language

- Looks a lot like Java.
 - A strong analogy between:
 - Java Virtual Machine & .Net CLR
 - Java bytecodes & .Net Intermediate Language
 - Java packages & CRL components and assemblies
 - Both have Just In Time (JIT) compilers
 - Both support reflection, used to obtain class information at run time
 - Both languages lack generics
- Differences:
 - Java and C# do have significant differences
 - C# has most of the operators and keywords of C++
 - C# has enumerations
 - C# plans to add generics in the second release of Visual Studio 7
 - C# code supports attributes – tagged metadata

```
C:\ CMD.EXE
>type hello.cs
// hello C# - first CSharp program
// Jim Fawcett, CSE775 - Distributed Objects, Spring 2005
using System;
namespace myApp
{
    public class firstClass
    {
        private string m_string;
        public firstClass(string outStr)
        {
            m_string = outStr;
        }
        public void speak()
        {
            string temp = "\n " + m_string;
            Console.WriteLine(temp);
        }
    }
    class Hello
    {
        static void Main(string[] args)
        {
            Console.WriteLine("\n hello CSE791 - Distributed Objects class\n");
            Console.WriteLine("\n Creating firstClass Object");

            // create instance of user defined class

            firstClass myFirstClass = new firstClass("first class here!");
            myFirstClass.speak();

            Console.Write("\n\n");
        }
    }
}

C:\SU\CSE775\CODE\CSharpExamples\hello
>csc hello.cs
Microsoft (R) Visual C# .NET Compiler version 7.10.6001.4
for Microsoft (R) .NET Framework version 1.1.4322
Copyright (C) Microsoft Corporation 2001-2002. All rights reserved.

C:\SU\CSE775\CODE\CSharpExamples\hello
>hello

hello CSE791 - Distributed Objects class

Creating firstClass Object

first class here!

C:\SU\CSE775\CODE\CSharpExamples\hello
>
```

First C# Program

```
C:\> CMD.EXE
C:\SU\CSE775\CODE\CSharpExamples\hello
>type hello.il
////////////////////////////////////
// hello il - first IL program
//
// Jim Fawcett, CSE775 - Distributed Objects, Spring 2005
//
////////////////////////////////////

    .assembly MyAssembly {}
    .class MyApp {
        .method static void Main() {
            .entrypoint
            ldstr "Hello, IL!"
            call void [mscorlib]System.Console::WriteLine(class System.Object)
            ret
        }
    }

C:\SU\CSE775\CODE\CSharpExamples\hello
>ilasm hello.il

Microsoft (R) .NET Framework IL Assembler. Version 1.1.4322.2032
Copyright (C) Microsoft Corporation 1998-2002. All rights reserved.
Assembling 'hello.il' , no listing file, to EXE --> 'hello.EXE'
Source file is ANSI

Assembled method MyApp::Main
Creating PE file

Emitting members:
Global
Class 1 Methods: 1;
Writing PE file
Operation completed successfully

C:\SU\CSE775\CODE\CSharpExamples\hello
>hello
Hello, IL!

C:\SU\CSE775\CODE\CSharpExamples\hello
>_
```

First IL Program

Differences Between C# and C++

- In C# there are no global functions. Everything is a class.
 - Main(string args[]) is a static member function of a class.
- The C# class libraries are like Java Packages, not like the C and C++ Standard Libraries.
 - System, System.Drawing, System.Runtime.Remoting, System.Text, System.Web
 - C# class hierarchy is rooted in a single "Object" class
- C# does not separate class declaration and member function definitions.
 - Every function definition is inline in the class declaration – like the Java structure.
 - There are no header files.
 - Instead of #include, C# uses using statements:
 - using System;
 - using System.ComponentModel;

Differences between C++ and C#

- The C# object model is very different from the C++ object model.
 - Illustrated on the next slide
- C# supports only single inheritance of implementation, but multiple inheritance of interfaces
- C# does not support use of pointers, only references, except in “unsafe” code.
- Use of a C# variable before initialization is a compile-time error.

C# Object Model

value type on stack

bool, byte, char,
decimal, double,
float, int, long, sbyte,
short, struct, uint,
ulong, ushort

Example:
`int x = 3;`

Reference Type

handle on Stack

Body on Heap

object, string,
user defined type

Example:
`myClass mc = new myClass(args);`
`string myStr = "this is some text";`

More Differences

- The CLR defines a new delegate type, used for callbacks.
- `event` is a keyword in all CLR languages.
- All memory allocations are subject to garbage collection – you don't call `delete`.
- There are no `#includes` unless you want to use unmanaged C++ in the same file as managed C++.
- In managed C++ all class data members are either primitive value types, C++ references, or C++ pointers. Nothing else is allowed.
- The CLR provides threads, directory services, and remoting. The Standard C++ Library provides none of these, although the first two are easy to provide yourself.

Common Type System

- Value Types
 - Primitive types
 - See page 10
 - Structures
 - methods
 - fields
 - properties
 - Events
 - Member adornments:
public, protected, private, abstract, static
 - Enumerations

Common Type System

- Reference Types
 - Classes
 - methods
 - fields
 - properties
 - Events
 - Member adornments:
public, protected, private, abstract, static
 - Interfaces
 - Class can inherit more than one
 - Must implement each base interface
 - Delegates
 - Instances used for notifications

C# Primitive Types

.Net Base Class

- System.Byte
- System.SByte
- System.Int16
- System.Int32
- System.Int64
- System.UInt16
- System.UInt32
- System.UInt64
- System.Single
- System.Double
- System.Object
- System.Char
- System.String
- System.Decimal
- System.Boolean

C# Types

- byte
- sbyte
- short
- int
- long
- ushort
- uint
- ulong
- float
- double
- object
- char
- string
- decimal
- bool

C# Object Type

- Object is the root class of the C# library
- Object's members:
 - `public Object();`
 - `public virtual Boolean Equals(Object obj);`
 - Returns true if obj and invoker handles point to the same body.
 - `public virtual Int32 GetHashCode();`
 - Return value identifies object instance.
 - `public Type GetType();`
 - Type object supports RTTI – see next page
 - `public virtual String ToString();`
 - Returns namespace.name
 - `protected virtual void Finalize();`
 - Called to free allocated resources before object is garbage collected.
 - `protected Object MemberwiseClone();`
 - Performs shallow copy
 - To have your class instances perform deep copies you need to implement the `ICloneable` interface.


Type Class

You get type object this way:

- `Type t = myObj.GetType();`
- `Type t = Type.GetType("myObj");`

Some of Type's members:

- `IsAbstract`
- `isArray`
- `IsClass`
- `IsComObject`
- `IsEnum`
- `IsInterface`
- `IsPrimitive`
- `IsSealed`
- `IsValueType`
- `InvokeMember()`
- `GetType()` returns Type Object
- `FindMembers()` returns MemberInfo array
- `GetEvents()` returns EventInfo array
- `GetFields()` :
- `GetMethods()` :
- `GetInterfaces()` :
- `GetMembers()` :
- `GetProperties()` :



Class Browser in IDE

Useful Interfaces

- **Comparable** - method
 - `int compareTo(object obj);`
 - Return:
 - Negative => less
 - Zero => equal
 - Positive => greater
- **Collection** – properties and method
 - `int count { get; }`
 - `bool IsSynchronized { get; }`
 - `object SyncRoot { get; }`
 - `void CopyTo(Array array, int index);`

Useful Interfaces

- **IDisposable - method**
 - Dispose()
- **IEnumerable - method**
 - System.Collections.IEnumerator GetEnumerator();
- **IEnumerator – property and methods**
 - object Current { get; }
 - bool MoveNext();
 - void Reset();

Useful Interfaces

- IDictionary

- bool IsFixedSize { get; }
- bool IsReadOnly { get; }
- object this[object key] { get; set; }
- ICollection keys { get; }
- ICollection values { get; }
- void Add(object key, object value);
- void Clear();
- bool Contains(object key);
- System.Collections.IDictionaryEnumerator GetEnumerator();
- void Remove(object key);

- IList

- bool IsFixedSize { get; }
- bool IsReadOnly { get; }
- object this[object key] { get; set; }
- void Add(object key, object value);
- void Clear();
- bool Contains(object key);
- int IndexOf(object value);
- void Insert(int index, object value);
- void Remove(object value);
- void RemoveAt(int index);

Delegates

- **Delegates are used for callbacks:**

- In response to some event they invoke one or more functions supplied to them.
- Library code that generates an event will define a delegate for application developers to use – the developer defines application specific processing that needs to occur in response to an event generated by the library code.
- A delegate defines one specific function signature to use:

```
public delegate rtnType DelFun(argTypes);
```

This declares a new ***type***, DelFun that invokes functions with that signature.

- The developer supplies functions this way:

```
libClass.DelFun myDel = new libClass.DelFun(myFun);
```

This declares a new instance, myDel, of the DelFun type.

Events

- Events are specialized delegates that are declared and invoked by a class that wants to publish notifications.

The event handlers are functions created by an event subscriber and given to the delegate.

- A C# event uses the specialized delegate event handler of the form:

```
public delegate void evDelegate(  
    object sender, EventArgs eArgs  
);
```

EventArgs is a subscriber defined class, derived from System.EventArgs. You usually provide it with a constructor to allow you to specify information for the event to use.

- The event is then declared by the publisher as:

```
public event evDelegate evt;
```

Either publisher or subscriber has to create the delegate object, evt, and pass it to the other participant.

- The event is invoked by the publisher this way:

```
if(evt != null)  
    evt(this, new EventArgs(arg));
```

- The subscriber adds an event handler function, myOnEvent, to the event delegate this way:

```
Publisher.evDelegate evt +=  
    new Publisher.evDelegate(myOnEvent);
```

Threads

- A C# thread is created with the statement:

```
Thread thrd = new Thread();
```

- System.Threading declares a delegate, named ThreadStart, used to define the thread's processing.
 - ThreadStart accepts functions that take no arguments and have void return type.
- You define a processing class that uses constructor arguments or member functions to supply whatever parameters the thread processing needs.
- To start the thread you simply do this:

```
Thread thrd = new Thread();  
ThreadStart thrdProc = new ThreadStart(myProc);  
thrd.Start(thrdProc);
```

Thread Synchronization

- The simplest way to provide mutually exclusive access to an object shared between threads is to use lock:

```
lock(someObject) {  
    // do some processing on  
    // someObject  
}
```

While a thread is processing the code inside the lock statement no other thread is allowed to access someObject.

Components

- Because C# classes are reference types, they expose no physical implementation detail to a client. What the client creates on its stack frames are simply *handles* to the class implementations.
 - The compiler does type checking for a client from metadata in an accessed assembly.
 - No header file is included, so the client is not dependent on implementation details of the class.
 - Consequently, any C# library dll can serve as a component for local access.
 - To make a component remotely accessible, you need to derive from `System.MarshalByRefObject`

C# Object Model

value type on stack

bool, byte, char,
decimal, double,
float, int, long, sbyte,
short, struct, uint,
ulong, ushort

Example:
`int x = 3;`

Reference Type

handle on Stack

Body on Heap


object, string,
user defined type

Example:
`myClass mc = new myClass(args);`
`string myStr = "this is some text";`

Assemblies

- An assembly is a versioned, self-describing binary (dll or exe)
- An assembly is the unit of deployment in .Net
- An assembly is one or more files that contain:
 - A Manifest
 - Documents each file in the assembly
 - Establishes the assembly version
 - Documents external assemblies referenced
 - Type metadata
 - Describes all the methods, properties, fields, and events in each module in the assembly
 - MSIL code
 - Platform independent intermediate code
 - JIT transforms IL into platform specific code
 - Optional resources
 - Bitmaps, string resources, ...

Assembly Structure



- Visual Studio does most of the work in configuring an assembly for you.

Metadata in demoFiles.exe

The screenshot shows the Visual Studio IDE with the following components:

- Source Code (Test.cs):**

```
using System;
using System.IO;
using System.Reflection;

namespace demoFiles
{
    class Title
    {
        internal static void Me
        {
            Console.WriteLine("\n (
            string temp = new str
            Console.WriteLine("\n (0)
            Console.WriteLine();
        }

        internal static void M:
        {
            Console.WriteLine("\n (
            string temp = new str
            Console.WriteLine("\n (0)
        }
    }

    //[]
    class Test
    {
        //----<< test finding f:
        internal static void Te
        {
            GetFiles gf = new GetFiles();
            foreach(string pattern in args)
            {
                string text = "Searching for files matching command line
                text += pattern;
                Title.Minor(text);
            }
        }
    }
}
```
- Object Browser:** Shows the assembly structure for demoFiles.exe, including classes like AssemblyInfo, GetFiles, Test, and Title.
- MANIFEST Window:** Displays the assembly manifest for demoFiles.exe.

```
.assembly extern mscorlib
{
    .publickeytoken = (B7 7A 5C 56 19 34 E0 89 ) // .NET
    .ver 1:0:3300:0
}

.assembly demoFiles
{
    .custom instance void [mscorlib]System.Reflection.AssemblyKeyNameAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyKeyFileAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyDelaySignAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyTrademarkAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyCopyrightAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyProductAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyCompanyAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyConfigurationAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyDescriptionAttribute:
    .custom instance void [mscorlib]System.Reflection.AssemblyTitleAttribute:
    // --- The following custom attribute is added automatically, do not uncom
    // .custom instance void [mscorlib]System.Diagnostics.DebuggableAttribute:
    //
    .hash algorithm 0x00008004
    .ver 1:0:976:37339
}

.module demoFiles.exe
// MVID: {3C3D5238-077A-47DF-913A-0A2F088B7E20}
.imagebase 0x00400000
.subsystem 0x00000003
.file alignment 512
.corflags 0x00000001
// Image base: 0x03a70000
```
- Find Symbol Results:** Shows a match for GetDirectoryName(string) (System.IO.Path) at C:\SU\CSE681\code\demoFiles\Test.cs (71, 27).

Versioning

- **Assemblies can be public or private:**
 - A private assembly is used only by one executable, and no version information is checked at loadtime.
 - Private assemblies are contained in the project directory or, if there is a config file, in a subdirectory of the project directory.
 - A shared assembly is used by more than one executable, and is loaded only if the version number is compatible with the using executable.
 - Shared assemblies reside in the Global Assembly Cache (GAC), a specific directory.
 - Version compatibility rules can be configured by the user.
 - Since no registry entries are made for the assembly, each user executable can attach to its own version of the assembly. This is called side-by-side execution by Microsoft.
 - A shared assembly is created from a private assembly, using one of Microsoft's utilities provided for that purpose.

C# Libraries

- http://msdn.microsoft.com/library/default.asp?url=/library/en-us/cpref/html/cpref_start.asp
- System
 - Array, Attribute, Console, Convert, Delegate, Enum, Environment, EventArgs, EventHandler, Exception, Math, MTAThreadAttribute, Object, Random, STAThreadAttribute, String, Type
- System.Collections
 - ArrayList, Hashtable, Queue, SortedList, Stack
- System.Collections.Specialized
 - ListDictionary, StringCollection, StringDictionary
- System.ComponentModel
 - Used to create components and controls
 - Used by WinForms
- System.ComponentModel.Design.Serialization
 - Used to make state of an object persistent
- System.Data
 - Encapsulates use of ADO.NET

More C# Libraries

- **System.Drawing** – GDI+ support
 - System.Drawing.Drawing2D – special effects
 - System.Drawing.Imaging – support for .jpg, .gif files
 - System.Drawing.Printing – settings like margins, resolution
- **System.Net** – support for HTTP, DNS, basic sockets
 - System.Net.Sockets – sockets details
- **System.Reflection**
 - view application's metadata including RTTI
- **System.Runtime.InteropServices**
 - Access COM objects and Win32 API

Remoting Libraries

- **System.Runtime.Remoting**
 - **System.Runtime.Remoting.Activation**
 - Activate remote objects
 - **System.Runtime.Remoting.Channels**
 - Sets up channel sinks and sources for remote objects
 - **System.Runtime.Remoting.Channels.HTTP**
 - Uses SOAP protocol to communicate with remote objects
 - **System.Runtime.Remoting.Channels.TCP**
 - Uses binary transmission over sockets
 - **System.Runtime.Remoting.Contexts**
 - Set threading and security contexts for remoting
 - **System.Runtime.Remoting.Messaging**
 - Classes to handle message passing through message sinks
 - **System.Runtime.Remoting.Meta data**
 - Customize HTTP SoapAction type output and XML Namespace URL
 - **System.Runtime.Remoting.Proxies**
 - **System.Runtime.Remoting.Services**

You must be joking – More Libraries!

- **System.Runtime.Serialization**
 - System.Runtime.Serialization.Formatters
 - System.Runtime.Serialization.Formatters.Soap
- **System.Security**
- **System.ServiceProcess**
 - Create windows services that run as Daemons
- **System.Text.RegularExpressions**
- **System.Threading**
 - AutoResetEvent, Monitor, Mutex, ReaderWriterLock, Thread, Timeout, Timer, WaitHandle
 - Delegates: ThreadStart, TimerCallback, WaitCallback
- **System.Timers**
 - Fire events at timed intervals, day, week, or month

Web Libraries

- **System.Web**
 - System.Web.Hosting
 - Communicate with IIS and ISAPI run-time
 - System.Web.Mail
 - System.Web.Security
 - cookies, web authentication, Passport
 - System.Web.Services – close ties to ASP.NET
 - System.Web.Services.Description
 - System.Web.Services.Discovery
 - System.Web.Services.Protocol – raw HTTP and SOAP requests
 - System.Web.SessionState – maintain state between page requests
 - System.Web.UI – access to WebForms

WinForms and XML Libraries


- System.Windows.Forms – Forms based GUI design
- System.Xml – XML DOM
 - System.Xml.Schema
 - Authenticate XML structure
 - System.Xml.Serialization
 - Serialize to XML
 - System.Xml.XPath
 - Navigate XSL
 - System.Xml.Xsl
 - Support for XSL – XML stylesheets

So How do we Learn *all* this stuff!


ClassView -> Class Browser -> Help

to the rescue!

Access Class Browser from class View



Select Type to see its Members



Browsing System.DLL

The screenshot shows the Visual Studio .NET Object Browser interface. The main window displays the 'Members of 'Convert'' class, which is a public sealed class in the System namespace. The members listed include various conversion methods such as ChangeType, FromBase64CharArray, ToBase64CharArray, and ToBoolean for different data types.

Members of 'Convert'

- ChangeType(object, System.Type, System.IFormatProvider)
- ChangeType(object, System.Type)
- ChangeType(object, System.TypeCode, System.IFormatProvider)
- ChangeType(object, System.TypeCode)
- FromBase64CharArray(char[], int, int)
- FromBase64String(string)
- GetTypeCode(object)
- IsNull(object)
- ToBase64CharArray(byte[], int, int, char[], int)
- ToBase64String(byte[], int, int)
- ToBase64String(byte[])
- ToBoolean(System.DateTime)
- ToBoolean(decimal)
- ToBoolean(double)
- ToBoolean(float)
- ToBoolean(string, System.IFormatProvider)
- ToBoolean(string)
- ToBoolean(ulong)
- ToBoolean(long)
- ToBoolean(uint)
- ToBoolean(int)
- ToBoolean(ushort)
- ToBoolean(short)
- ToBoolean(byte)
- ToBoolean(char)
- ToBoolean(sbyte)
- ToBoolean(bool)
- ToBoolean(object, System.IFormatProvider)
- ToBoolean(object)
- ToByte(string, int)
- ToByte(System.DateTime)

public sealed class Convert : System.Object
Member of **System**

Summary:
Converts a base data type to another base data type.

Find Symbol Results - 1 match found

- GetDirectoryName(string) (System.IO.Path)
C:\SU\CSE681\code\demoFiles\Test.cs (71, 27)

Getting Help on a Selected Type or Member – Just hit F1

The screenshot shows the Microsoft Visual C# .NET [design] - Object Browser window. The main window displays the Object Browser with the following components:

- Objects:** A tree view showing the hierarchy of classes and interfaces. The `Path` class is selected, and its members are displayed in the right pane.
- Members of 'Path':** A list of members for the `Path` class, including methods like `ChangeExtension(string, string)`, `Combine(string, string)`, `GetDirectoryName(string)` (highlighted), `GetExtension(string)`, `GetFileName(string)`, `GetFileNameWithoutExtension(string)`, `GetFullPath(string)`, `GetPathRoot(string)`, `GetTempFileName()`, `GetTempPath()`, `HasExtension(string)`, `IsPathRooted(string)`, and constants like `AltDirectorySeparatorChar`, `DirectorySeparatorChar`, `InvalidPathChars`, `PathSeparator`, and `VolumeSeparatorChar`.
- Summary:** A section titled "Summary:" with the text "Returns the directory information for the specified path string."
- Parameters:** A section titled "Parameters:" with the text "`path`: The path of a file or directory."
- Return:** A section titled "Return:" which is currently empty.
- Find Symbol Results:** A section titled "Find Symbol Results - 1 match found" showing a search result for `GetDirectoryName(string) (System.IO.Path)` located at `C:\SU\CSE681\code\demoFiles\Test.cs (71, 27)`.

The status bar at the bottom of the window shows "Ready" and the task list includes "Task List", "Output", "Find Symbol Results", and "Index Results for Path class, all members". The Windows taskbar at the bottom shows the Start button, several icons, and the system tray with the time "9:24 AM".

Takes you Immediately to Help Documentation for that Identifier

The screenshot displays the Visual Studio IDE with the help documentation for the `Path.GetDirectoryName` method. The window title is "demoFiles - Microsoft Visual C# .NET [design] - GetDirectoryName Method". The interface includes a menu bar, a toolbar, and a Solution Explorer showing the project structure.

The main content area shows the following information:

- Method Signature:** `public static string GetDirectoryName(string path);`
- Description:** Returns the directory information for the specified path string.
- Parameters:** `path` - The path of a file or directory.
- Return Value:** A `String` containing directory information for `path`, or a null reference (**Nothing** in Visual Basic) if `path` denotes a root directory, is the empty string (`""`), or is a null reference (**Nothing**). Returns `String.Empty` if `path` does not contain directory information.
- Exceptions:** A table with two columns: Exception Type and Condition.
- Remarks:** The string returned by this method consists of all characters between the first and last `DirectorySeparatorChar` or `AltDirectorySeparatorChar` character in path. The first separator character is included, but the last separator character is not included in the returned string.
- Example:** A code snippet demonstrating the use of `GetDirectoryName` on a Windows-based desktop platform.

Exception Type	Condition
ArgumentException	<code>path</code> contains invalid characters, is empty, or contains only white spaces.

```
string fileName = @"C:\mydir\myfile.ext";
string path = @"C:\mydir\";
string rootPath = @"C:\";
string directoryName;

directoryName = Path.GetDirectoryName(fileName);
Console.WriteLine("GetDirectoryName('{0}') returns '{1}'",
    fileName, directoryName);

directoryName = Path.GetDirectoryName(path);
Console.WriteLine("GetDirectoryName('{0}') returns '{1}'",
    path, directoryName);

directoryName = Path.GetDirectoryName(rootPath);
Console.WriteLine("GetDirectoryName('{0}') returns '{1}'",
    rootPath, directoryName);
```

Find Symbol Results - 1 match found

- GetDirectoryName(string) (System.IO.Path)
- C:\SU\CSE681\code\demoFiles\Test.cs (71, 27)

Task List | Output | Find Symbol Results | Index Results for Path class, all members

Done

Windows taskbar: Start, C:\SU\CSE681\..., cse681, Sticky Notes, demoFiles - M..., CMD.EXE, Microsoft Power..., 9:25 AM

End of Presentation