



IIS Demo – Setup and Use

1. Open Control Panel > Programs and Features > Turn Windows features on or off




2. Open Internet Information Services, expand, and make sure that IIS Management Console and Static Content are checked.



If any of these boxes were unchecked, then Windows will add new IIS features.

3. Search for IIS. That brings up the management console:



- Expand the local machine tree view in the left panel and right click on Sites:

The screenshot shows the 'Add Website' dialog box in IIS Manager. The dialog has a title bar with a question mark and a close button. It contains several sections: 'Site name' and 'Application pool' both set to 'TestSite', with a 'Select...' button next to the application pool. The 'Content Directory' section includes a 'Physical path' set to 'C:\SU\temp\CodePages' with a browse button, and a 'Pass-through authentication' section with 'Connect as...' and 'Test Settings...' buttons. The 'Binding' section has 'Type' set to 'http', 'IP address' set to 'All Unassigned', and 'Port' set to '8090'. There is an empty 'Host name' field with an example: 'www.contoso.com or marketing.contoso.com'. At the bottom, there is a checkbox 'Start Website immediately' which is checked, and 'OK' and 'Cancel' buttons.

Add Website

Site name: Application pool:

Content Directory

Physical path:

Pass-through authentication

Binding


Type: IP address: Port:

Host name:

Example: www.contoso.com or marketing.contoso.com

☒ Start Website immediately

- Now you will see the TestSite in the Sites list.. Open File Explorer and add folder CodePages to C:\SU\Temp. Now, in IIS Manager, right click on TestSite and Add Application:



The image shows the 'Add Application' dialog box in IIS Manager. The dialog has a title bar with a question mark and a close button. The main content area contains the following fields and controls:

- Site name:** TestSite
- Path:** /
- Alias:** CodePublisher
- Application pool:** TestSite, with a 'Select...' button to the right.
- Example:** sales
- Physical path:** C:\SU\temp\CodePages, with a browse button ('...') to the right.
- Pass-through authentication:** Two buttons, 'Connect as...' and 'Test Settings...'. The 'Test Settings...' button is highlighted with a blue border.
- Enable Preload:** An unchecked checkbox.
- Buttons:** 'OK' and 'Cancel' buttons at the bottom right.

6. Now Browse to <http://localhost:8090/CodePublisher>

